

2015-0738
2015-03-03

WILSON[®]

BULB AND SOIL DUST

Combination Insecticide and Fungicide

For use as a soil treatment when planting and for
dry dusting before storage.

DOMESTIC

REG. NO. 14852 P.C.P. ACT

GUARANTEE: Carbaryl5%
Captan5%

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

500 g (1 kg)

Sure-Gro IP Inc./ Lic. Premier Tech Home & Garden Inc.
P.O. Box 21001, Brantford, ON N3R 7W9
1-800-268-2806

Exposure to Captan may produce long term health effects.
To minimize exposure, follow directions outlined on this label.

For use on Iris, Tulip, Daffodil, Narcissus, Crocus and Hyacinth bulbs, Dahlia and Begonia tubers and Gladiolus corms.

DIRECTIONS FOR USE:

WHEN PLANTING: To control damping-off, root rots. Broadcast 100 g over 2 m² of garden or prepare holes and trenches and treat at the rate of 50 g per 8 metres of row. Work dust into the soil to a depth of 8 cm.

WHEN STORING: To control damping-off, bulb rot and thrips (exposed). Shake the dry, clean bulbs in a paper bag with 15 mL (1 tablespoonful) of Wilson[®] Bulb and Soil Dust for each 1 kg of bulbs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Never handle materials with bare hands. Use rubber gloves; do not use leather or cloth gloves. Wash hands, face and arms thoroughly after handling this product and before drinking, eating or smoking. Do not breathe dust. When handling or applying, wear goggles and clothing that completely cover arms and legs to minimize exposure. Change contaminated clothing and wash thoroughly before reuse. If an accident occurs, remove contaminated clothing immediately and wash contaminated skin thoroughly with soap and water. Wash clothing and gloves before reuse. Always work out of the wind when handling, or applying treatments. Keep unprotected persons out of operating area or vicinity where there may be drift.

FIRST AID: In case of poisoning, call a physician or poison control centre immediately. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Do not reuse empty container. Wrap and dispose of container with regular garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.pthomeandgarden.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.