

CORRY'S
SLUG & SNAIL
DEATH

Original ENGLISH FORMULA
NOT AFFECTED BY RAIN

For Use On Lettuce, Tomato and Ornamentals

MOLLUSCICIDE
GRANULAR

DOMESTIC
READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS



GUARANTEE: METALDEHYDE 2%

CAUTION POISON

Warning, contains the allergen soy or wheat

Contains Sodium Benzoate at 1% as a preservative

REG. NO. 997 P.C.P. ACT

NET CONTENTS 1.02 kg

MFG. IN U.S.A. BY
MATSON, LLC.
P.O. Box 1820
NORTH BEND, WA 98045
EPA EST. NO. 8119-WA-1
Tel. No. 425-666-6216

Copyright (C) MATSON, LLC.

DIRECTIONS FOR USE

CORRY'S SLUG & SNAIL DEATH is so easy to use. Requires no mixing, spraying, or special applicators. Just scatter lightly on the soil surface in infested areas. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. All likely places should be treated as these pests travel. They favor damp places around vegetable plants and ornamentals. Use approximately 275 g/100 m². Further label directions are found in the following table.

Use Site	Maximum Number of Applications/Year	Minimum Application Interval (day)
Lettuce	3	14
Tomato	3	14
Ornamentals	6	21

Keep people and pets out of the area during application.

Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.

Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (i.e. on soil or mulch) directly surrounding plants listed for use on the label.

Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within 30 cm of vegetable plants or fruit-bearing plants not listed on this label.

Avoid applying pellets in piles that may attract pet.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- eliminating hiding places by removing leaf litter and debris in the garden
- removing slugs and snails during daylight hours from nearby leaf litter, mulch and other protected areas

- watering in the morning to reduce humidity during the night when snails and slugs are active

***SPECIAL APPLICATIONS**

* If slugs and snails invading from adjacent properties are a menace, a pencil-thin line of CORRY'S SLUG & SNAIL DEATH the entire length of the infested area will form a barrier and result in excellent control.

CORRY'S SLUG & SNAIL DEATH can be used to protect fruit and vegetable plants. Apply only to soil surface. Do not apply to the foliage or edible parts of the crop. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Dead slugs and snails should be removed and destroyed.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

This product may be harmful to children and fatal to domestic animals when ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated area from the start of the application until applied material is no longer visible. For additional precautionary measures, see **DIRECTIONS FOR USE, STORAGE, and DISPOSAL.**

Toxic to aquatic organisms. Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants.

Toxic to birds.

Toxic to small wild mammals.

Collect and remove any product that is spilled.

Avoid contact with skin, eyes and clothing. Harmful dust. Avoid breathing dust. May be fatal if swallowed. Avoid contamination of feed, food stuffs, water supplies, and ponds. Do not apply bait directly on fruits, vegetables, or field crops - use only on soil surface around these plants. Wash hands after use.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian, or when going for treatment.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

TOXICOLOGICAL INFORMATION

Ingestion may cause intestinal irritation, kidney and liver damage. Treat symptomatically.

HUMANS: Dust inhalation is usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely; seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

PETS: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

DISPOSAL

Do not reuse empty container. Wrap empty container and discard in household garbage.

STORAGE

This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.