

PLANT-FUME
SMOKE

D.D.V.P.
FUMIGATOR

TREATS

300 CUBIC METRES

GUARANTEE:

Dichlorvos 4.5%

Warning, contains the allergen milk.

HORTICULTURAL

FOR USE ON GREENHOUSE ORNAMENTALS ONLY

RECOMMENDED
THRIPS,

TO CONTROL APHIDS, RED SPIDER,
MEALY BUGS AND WHITEFLY.

NET

CONTENTS 150 g

REGISTRATION
PEST

No. 8775
CONTROL PRODUCTS ACT

POISON ... DANGER ... FLAMMABLE

READ

THE LABEL BEFORE USING

PLANT PRODUCTS INC.
50 HAZELTON STREET
LEAMINGTON, ONTARIO, CANADA N8H 3W1

CAUTION - Place cans at least 3 metres from combustible
material such as straw, paper, etc.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE

Recommended to control aphids and red spider; thrips, mealy bugs, and whitefly on greenhouse ornamental crops. Repeat fumigation three times, three days apart. Dichlorvos may damage some plants. Consult the enclosed list of susceptible plants before fumigating.

Greenhouse should be tightly closed and temperature maintained at 13-16 ° C. Smoke fumigators should be placed in such a manner to prevent the smoke hitting the plants nearby. It is preferable to place the fumigators above the plants to allow the smoke to disperse throughout the greenhouse. For tall plants this can be done by wiring the fumigators to a post or by attaching it firmly to a board placed across the top wires.

Puncture the side of the can with two holes at points indicated using a can opener provided.

For even distribution, use one can for every 300 cubic metres, spacing the fumigators throughout the house.

Light the igniters with a match. Drop the lighted igniter through one of the holes in the side of the can. Ignition will take place immediately, and smoke emission builds up slowly. Where the greenhouse being fumigated requires that fumigators be placed in more than one walk, it is recommended that one person be assigned to light the fumigators in each walk, starting at the end furthest from the exit, so that fumigation may start simultaneously and the persons exit from the house simultaneously.

If a circulating fan is present in the greenhouse, it should be turned on for about 15 minutes to ensure uniform coverage.

The rapid action of D.D.V.P. permits opening of the ventilators within two hours, while wearing full protective equipment (see PRECAUTIONS). If desired, overnight fumigation may be carried out. A quiet day should be selected for fumigation, as windy weather causes loss of smoke and drift of fumes.

Dichlorvos in smoke is extremely hazardous. DO NOT USE PLANTFUME DDVP IN GREENHOUSES WHICH ARE ATTACHED TO OTHER BUILDINGS. Smoke from the greenhouse could leak into the building.

VENTILATE GREENHOUSE THOROUGHLY AFTER FUMIGATION, while wearing full protective equipment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of smoke or fumes. Do not exceed recommended dosages. Do not contaminate feed or food stuffs. Wear chemical-resistant suit, chemical-resistant gloves, chemical-resistant footwear and appropriate NIOSH-approved respiratory protection when handling. Vacate premises during application. Post greenhouses under treatment. DO NOT re-enter treated areas within 24 hours, unprotected. If required, individuals may re-enter treated areas within 24 hours, for short-term tasks (e.g., Ventilation) if chemical-resistant suit, chemical-resistant gloves, chemical-resistant footwear and appropriate NIOSH-approved respiratory protection are worn.

FIRST AID: For exposure to fumes, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. For ingestion of product, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: The symptoms of poisoning are: pupil of eye shrinks to "pin-point" size, a sense of tightness of chest, stomach pains, vomiting, headaches and diarrhea.

Atropine is antidotal. Administer to the point of tolerance. If patient becomes comatose, give artificial respiration or oxygen. Never give morphine.

DISPOSAL: Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

0104 51780

EMERGENCY USE LABEL

For emergency use only. For sale for use In Ontario Ornamental Greenhouses to control *Duponchelia fovealis* until December 28, 2008

PLANT-FUME
SMOKE

D.D.V.P.
FUMIGATOR

TREATS

300 CUBIC METRES

GUARANTEE:

Dichlorvos 4.5%

Warning, contains the allergen milk.

HORTICULTURAL

FOR USE ON GREENHOUSE ORNAMENTALS ONLY

NET

CONTENTS 150 g

REGISTRATION
PEST

No. 8775
CONTROL PRODUCTS ACT

POISON ... DANGER ... FLAMMABLE

READ

THE LABEL BEFORE USING

PLANT PRODUCT INC.
50 HAZELTON STREET
LEAMINGTON, ONTARIO, CANADA N8H 3W1

CAUTION - Place cans at least 3 metres from combustible material such as straw, paper, etc.

GROWERS USING THIS TREATMENT ARE REQUIRED TO SIGN A WAIVER OF LIABILITY AND INDEMNIFICATION BEFORE PURCHASING AND USING PLANTFUME DDVP.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this pest control product in a way that is inconsistent with the direction on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE

Recommended to control *Duponchelia fovealis* on greenhouse ornamentals (including Roses, Jasmine, Anthurium and Gerbera) . Since testing has not been done on all varieties, test on a small area and on all varieties before performing a fumigation of the main crop. Repeat fumigation three times, three days apart. Dichlorvos may damage some plants.

Greenhouse should be tightly closed and temperature maintained at 13-16 ° C. Smoke fumigators should be placed in such a manner to prevent the smoke hitting the plants nearby. It is preferable to place the fumigators above the plants to allow the smoke to disperse throughout the greenhouse. For tall plants this can be done by wiring the fumigators to a post or by attaching it firmly to a board placed across the top wires.

Puncture the side of the can with two holes at points indicated using a can opener provided.

For even distribution, use one can for every 300 cubic metres, spacing the fumigators throughout the house.

Light the igniters with a match. Drop the lighted igniter through one of the holes in the side of the can. Ignition will take place immediately, and smoke emission builds up slowly. Where the greenhouse being fumigated requires that fumigators be placed in more than one walk, it is recommended that one person be assigned to light the fumigators in each walk, starting at the end furthest from the exit, so that fumigation may start simultaneously and the persons exit from the house simultaneously.

If a circulating fan is present in the greenhouse, it should be turned on for about 15 minutes to ensure uniform coverage.

The rapid action of D.D.V.P. permits opening of the ventilators within two hours, while wearing full protective equipment (see PRECAUTIONS). If desired, overnight fumigation may be carried out. A quiet day should be selected for fumigation, as windy weather causes loss of smoke and drift of fumes.

Dichlorvos in smoke is extremely hazardous. DO NOT USE PLANTFUME DDVP IN GREENHOUSES WHICH ARE ATTACHED TO OTHER BUILDINGS. Smoke from the greenhouse could leak into the building.

VENTILATE GREENHOUSE THOROUGHLY AFTER FUMIGATION, while wearing full protective equipment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of smoke or fumes. Do not exceed recommended dosages. Do not contaminate feed or food stuffs. Wear chemical-resistant suit, chemical-resistant gloves, chemical-resistant footwear and appropriate NIOSH-approved respiratory protection when handling. Vacate premises during application. Post greenhouses under treatment. DO NOT re-enter treated areas

within 24 hours, unprotected. If required, individuals may re-enter treated areas within 24 hours, for short-term tasks (e.g., Ventilation) if chemical-resistant suit, chemical-resistant gloves, chemical-resistant footwear and appropriate NIOSH-approved respiratory protection are worn.

FIRST AID

If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: The symptoms of poisoning are: pupil of eye shrinks to "pin-point" size, a sense of tightness of chest, stomach pains, vomiting, headaches and diarrhea.

Atropine is antidotal. Administer to the point of tolerance. If patient becomes comatose, give artificial respiration or oxygen. Never give morphine.

DISPOSAL: Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

0505 51780

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.