

29-JAN-2008 Notification - Change in Registrant

14-MAR-2007 Allergen update

07-MAR-2002

((BOX))

Wilson

250 mL

LIQUID INSECTICIDE

Borer and Weevil Killer

KILLS WOOD BORERS AND OTHER
INSECTS ON TREES AND SHRUBS

DOMESTIC

Update

GUARANTEE: Endosulfan 5.2%
Warning, contains the allergen soy.

REG. NO. 14009 P.C.P. ACT

READ THE LABEL BEFORE USING

DANGER POISON

Notification Change

~~Spectrum Brands IP Inc.
10 Craig St.
Brantford, ON
N3R 7J1~~

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

DIRECTIONS FOR USE:

GENERAL INFORMATION: Borers are larvae which tunnel into the wood of trunks and limbs of certain trees and shrubs (see below). These plants are then seriously weakened and eventually may die. Wilson's Borer and Weevil Killer sprayed on the bark kills the newly hatched larvae before they enter the wood. Proper timing for each species of borer is essential for good results.

METHOD: Add 15 mL (1 tablespoonful) of Borer and Weevil Killer

to each litre of water and stir or shake well. Spray the bark of main branches and trunk down to ground level, very thoroughly. Foliage does not require spraying.

TIME OF APPLICATION: **Ash, Lilac, Mountain Ash, Dogwood, and Privet** - must be sprayed in mid-May, repeat in late May and early June (10 days between each spray).

Peach, Plum and Ornamental Flowering Cherry - should be sprayed in late June, repeat in mid-July and again in early August (3 weeks between each spray). Avoid spraying foliage and fruit of peach and plum and do not spray any later than 15 days before harvesting the fruit.

Azalea, Laurel and Rhododendron - should be sprayed about May 20th and again June 15th.

Poplar and Willow - require spraying in mid-August and again in early September.

Black Locust - (not the honey locust) should be sprayed in mid-August, repeat in early and late September.

Other Uses: This product may be used to control the Black Vine Weevil which attacks azalea, hemlock, rhododendron, yew and sometimes white cedar. Use 15 mL (1 tablespoonful) per 1 litre of water and spray thoroughly on trunk, lower branches and surrounding soil in late June and again in early July.

Spruce Gall Aphid on spruce (spray in early and mid-May); Caterpillars and Aphids on all kinds of ornamental shrubs and trees (except European white birch) can be killed by applying 10 mL (2 teaspoonfuls) per 1 litre of water when caterpillars and aphids are noticed, repeat as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid inhalation of spray mist and skin contact. Wash after spraying and before eating or smoking. Avoid contamination of food and feed, also ponds and streams, as this product is very poisonous to fish.

FIRST AID: If swallowed , DO NOT induce vomiting but bring patient to nearest hospital taking this labelled container with you or call Poison Control Centre. **If in eyes,** flush with plenty of water for 15 minutes and get medical attention. **If on skin,** wash with soap and water. This product contains petroleum distillates. Endosulfan is a nervous system stimulant, there is no specific antidote. Do not give stimulants. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

DISPOSAL: Do not reuse empty container. Wrap empty container and

discard in household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

((LABEL))

Wilson

250 mL

BORER AND WEEVIL KILLER

LIQUID INSECTICIDE

Kills wood borers and other insects on trees and shrubs

DOMESTIC

Update

GUARANTEE: Endosulfan 5.2%
Warning, contains the allergen soy.

REG. NO. 14009 P.C.P. ACT

READ THE LABEL BEFORE USING

DANGER POISON

Notification Change

~~Spectrum Brands IP Inc.
10 Craig St.
Brantford, ON
N3R 7J1~~

www.wilson.nu-gro.com

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

PRECAUTIONS: REFER TO AND RETAIN CARTON FOR DIRECTIONS FOR USE. KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid

inhalation of spray mist and skin contact. Wash after spraying and before eating or smoking. Avoid contamination of food and feed, also ponds and streams, as this product is very poisonous to fish.

FIRST AID: **If swallowed,** DO NOT induce vomiting but bring patient to nearest hospital taking this labelled container with you or call Poison Control Centre. **If in eyes,** flush with plenty of water for 15 minutes and get medical attention. **If on skin,** wash with soap and water. This product contains petroleum distillates. Endosulfan is a nervous system stimulant, there is no specific antidote. Do not give stimulants. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

1101

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))