

2019-5211
2019-12-02

This product has been cancelled effective as of 21 August 2023.
Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

Living World BIRD BATH for Caged Birds

DOMESTIC

KILLS LICE AND MITES

READ THE LABEL BEFORE USING – PRESSURIZED SPRAY

FOR USE ONLY ON CAGED BIRDS

KEEP OUT OF REACH OF CHILDREN

WARNING

FLAMMABLE

EXPLOSIVE

ACTIVE INGREDIENT:

Pyrethrins 0.09%

Technical Piperonyl Butoxide 0.18%

N-Octyl Bicycloheptene Dicarboximide 0.30%

REG. NO. 9021 P.C.P. ACT

NET WT. 170g

Distributed by:

Rolf C Hagen Inc.

20500 Trans Canada Hwy.

Baie D'Urfé, QC H9X 0A2 Canada

Tel: 1-800-554-2436

2019-5211
2019-12-02

Living World Bird Bath for Caged Birds

Kills lice and mites. Non-injurious to birds, humans and all warm-blooded animals when used as directed.

DIRECTIONS FOR USE: Shake well before using. Hold sprayer at least 60 cm from cage and spray directly into cage. Birds should be sprayed twice a week. Do not spray birds more than 2 seconds at a time. Treatment must only be repeated if pest problem reoccurs. In case of severe mite infestation, cages and perches should be thoroughly sprayed. To avoid potential cage staining, test a small inconspicuous area of the cage and plastic bottom and wait 24 hours before proceeding with application. Do not use on birds under 12 weeks of age. Consult a veterinarian before using on sick, aged, or animals receiving drug or other pesticide treatment. **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

PRECAUTIONS: PHYSICAL & CHEMICAL HAZARDS: Contents under pressure. Do not store at temperatures above 48°C or place container on radiator or stove, or where excessive temperature may be encountered. Keep away from open flames or sparks. **HUMANS: KEEP OUT OF REACH OF CHILDREN.** Use **ONLY** in well-ventilated area, preferably outdoors. Do not apply to food crops. Avoid contamination of food and feedstuffs. Avoid contact with treated animals until dried. **DO NOT** allow product to contact non-target surfaces. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with skin. Wear rubber gloves during application of this product. Toxic to fish and other aquatic life. Cover fish aquaria in the vicinity of treatment area. **PETS:** Harmful if swallowed or inhaled. May irritate eyes, nares, and throat. Avoid direct spray of bird's mouth, beak, face, eyes and genitals.

FIRST AID:

HUMANS: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF INHALED,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

PETS: Sensitivities may occur after using **ANY** pesticide for pets. If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and P.C.P. Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Wrap and discard empty container in household garbage.

Distributed by:

Rolf C Hagen Inc.

20500 Trans Canada Hwy.

Baie D'Urfé, QC H9X 0A2 Canada

Tel: 1-800-554-2436

Made in Canada