

2019-5393
2020-03-12

This product has been cancelled effective as of 21 August 2023.
Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

Sentry Flea Killer & Mosquito Repellent Spray for Dogs

Solution

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

DO NOT USE ON PUPPIES LESS THAN 12 WEEKS OLD.

DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL

FOR USE ONLY ON DOGS

READ THE LABEL BEFORE USING

REG. NO. 23013 P.C.P. ACT

ACTIVE INGREDIENT:

Pyrethrin 0.075%

Piperonyl butoxide 0.15%

N-Octyl bicycloheptene dicarboximide 0.25%

Permethrin 0.052%

NET. WT. 300 mL

Distributed by:

Rolf C. Hagen Inc.

20500 Trans Canada Hwy

Baie D'urfé, QC H9X 0A2

1-800-554-2436

Sentry Flea Killer & Mosquito Repellent Spray for Dogs

Kills fleas and American dog and brown ticks on dogs. *Aids in repelling biting flies, gnats and mosquitoes. *Contains residuals to continue killing fleas.

2019-5393

2020-03-12

DIRECTIONS FOR USE:

For use only on dogs or puppies over 12 weeks old. **DO NOT** use on puppies under 12 weeks of age. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. This product contains permethrin. **DO NOT** apply another pest control product such as a spot on, collar or powder which contains permethrin to the treated animal when using Sentry Flea Killer & Mosquito Repellent Spray for Dogs.

DO NOT administer by mouth.

Use only in well-ventilated areas, preferably outdoors. Shake well before using. Wet animal's head with water to drive pests onto body. Hold bottle in upright position and spray the dog from a distance of 25-30 cm. Spray the entire body, beginning at the tail and working towards the head. As you spray, fluff the fur of the dog so that the spray will penetrate the skin. Spray only until the fur is damp-not wet. Spray ticks directly. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. Do not spray more than once a week. Treatment must be repeated only if the pest problem persists or reoccurs. **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas.

If pest problems persist, a premise treatment with an insecticide labelled for that use may be required. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Avoid skin contact by wearing rubber gloves. Wash hands or any other skin that comes into contact with the product after use. Use **ONLY** in well-ventilated area, preferably outdoors. Avoid contact with treated animals until dried. **DO NOT** allow product to contact non-target surfaces. Do not use near plants

PETS: Do not spray in eyes, face, nose, mouth or on genitals of pet. Toxic to fish and other aquatic life. Cover fish aquaria in the vicinity of treatment area. Toxic to birds.

FIRST AID:

HUMANS: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

2019-5393

2020-03-12

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

DISPOSAL: Do not re-use container. Wrap and dispose of empty container in regular household garbage.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

Made in Canada