Safer's DEFENDER GARDEN FUNGICIDE II

Controls Black Spot, Powdery Mildew and Rust

GUARANTEE: 0.40% sulphur Contains -cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 005% as a preservative. REG.NO. 20812 P.C.P. ACT READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN DOMESTIC

NET CONTENTS 3 L

Ready to Use

Woodstream Canada Corporation, Unit 1, 25 Bramtree Court, Brampton ON L6S 6G2 1-800-800-1819

IMPORTANT PRODUCT USE INFORMATION:

To Use Trigger Sprayer:

- 1. Remove sprayer from bag.
- 2. Unscrew cap from container and set aside. Do not throw out.
- 3. Be sure that tube is properly positioned in hole in cap, then insert tube into bottle and screw on cap.
- 4. Open nozzle about one turn.
- 5. Point sprayer at desired area, and pump trigger sprayer until spray begins.
- 6. Adjust nozzle as desired.....fine stream for spot treatment, wide mist for broad application.
- 7. When temporarily not in use, keep nozzle above liquid level of container to prevent leakage from nozzle.
- 8. To store remove nozzle and re-cap container with original cap.
- 9. Rinse nozzle with clear water before storing, taking care to avoid contact with dip tube. Wash hands thoroughly with soap and water after each use. STORE OUT OF REACH OF CHILDREN.
- 10. Store nozzle in re-sealable plastic bag provided.

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. Spray plants to thorough wetting. For use on vegetables, fruits, ornamentals and flowering plants.

Powdery mildew: on roses, chrysanthemums, grapes, strawberries, currants,

gooseberries, beans and dahlias. Concord grapes and other sulphur-shy varieties of plants may be sensitive to this product. Spray at first sign of disease and repeat at 10-14 day intervals.

Black spot: on roses. Spray every 7-10 days to ensure thorough coverage on new foliage and stems.

Rust: on currants, gooseberries, beans and ornamentals, spray at first sign of disease and repeat at 10-14 day intervals as necessary.

Harvest Interval: Apply up to 1 day before harvest for all crops except wine grapes, which require a 21-day interval.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not apply within 30 days of an oil treatment or at high temperatures. Do not apply to Boston fern. Avoid contamination of food and feed. Do not heat or store at high temperatures.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container in household garbage.

FIRST AID: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.call a poison control centre or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor fortreatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

ENVIRONMENTAL HAZARDS: Do not apply directly to aquatic habitats (such as lakes, rivers, sloughs, ponds, coulees, prairie potholes, creeks, marshes, streams, reservoirs, and wetlands), and estuarine/marine habitats. Do not contaminate water by cleaning of equipment or disposal of wastes.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.