

**LATER'S™
LIME SULPHUR SOLUTION**

Fungicide, Miticide.

Suspension

A dormant clean up spray for fruit trees,
roses and deciduous ornamentals.

DOMESTIC

REG. NO. 6335 P.C.P. ACT

GUARANTEE: Calcium Polysulphide 22%

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

DANGER – CORROSIVE TO EYES

1 L (4 L)

Sure-Gro IP Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

DIRECTIONS: Later's Lime Sulphur Solution controls fungus and mite problems on fruit trees and berries. When used in combination with **Later's Dormant Oil Spray** it is an excellent clean up spray for dormant fruit trees, roses and other deciduous plants. Use only with a handheld pump sprayer or backpack sprayer or as spot treatment. Spray to point of run-off, cover completely. Lime Sulphur may cause leaf yellowing and defoliation, particularly if applied in the calyx or early summer without previous application in pink. **WARNING:** Lime Sulphur may injure "sulphur shy" varieties. If in doubt consult local Agricultural Authorities. Do not spray on painted surfaces as staining or discolouration may occur. **DO NOT** apply by air.

15 mL = 1 tablespoon
quart

250 mL = approx. 1 cup

1 L = approx. 1

FRUIT	PESTS	WHEN TO SPRAY	Amount of Lime Sulphur to use in 4 L of water
Apples and Pears	Blister & Rust Mites	Dormant Season	400 mL
	San Jose & European Scale, General Clean up	Dormant Season	200 mL PLUS 50 mL Later's Dormant Oil Spray
	Apple scab, Pear scab Powdery mildew	Pre-pink, pink, calyx 1 st and 2 nd cover spray	50 mL
Prunes and Plums	San Jose & European Scale, Mites, Aphid eggs, General Clean up	Dormant Season	200 mL PLUS 50 mL Later's Dormant Oil Spray
Peaches	Peach Leaf Curl, San Jose & European Scale	Dormant Season	400 mL
	Twig borer	Pink	400 mL
	Powdery mildew	Petal Fall	50 mL Repeat at 2 week intervals
Cherries	San Jose & European Scale, Mites, General clean-up	Dormant Season	200 mL PLUS 50 mL Later's Dormant Oil Spray
Strawberries	Powdery mildew, Fruit rots	Spring (when growth starts)	60 mL
	Powdery mildew	3 weeks after harvest	60 mL
Raspberries	Scales, Spur & Cane blight, Rust	Delayed Dormant	140 mL
Blackberries	Redberry mite	Delayed dormant	200 – 300 mL
		When fruit arms are 7-15 cm	100 – 140 mL
Loganberries	Leaf & Cane spot	Delayed Dormant	140 mL
Gooseberries	Mildew	Before earliest blossoms open	60 mL
		Calyx	60 mL
Roses & other deciduous ornamentals	General clean-up, Scale Insects, Mites, Blackspot	Dormant Season	200 mL PLUS 50 mL Later's Dormant Oil Spray

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. CORROSIVE to the eye. DO NOT get in eyes. Avoid contact with skin. Wear a long-sleeved shirt, long pants, chemical resistant (rubber) gloves when handling. Wash after use.

FIRST AID: **If swallowed**, call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing**, taking off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: May yield hydrogen sulphide by decomposition before or after ingestion.

ENVIRONMENTAL HAZARDS: TOXIC to aquatic organisms.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not reuse container. Rinse thoroughly and use rinse-water with regular spray. Wrap container in newspaper and dispose of in regular garbage.

For additional information or in case of emergency, spills or fire, call toll free 1-800-268-2806

TM/[®] Sure-Gro Holdings Inc./ Lic. Sure-Gro

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.