

**KRENITE® BRUSH CONTROL AGENT**

WATER SOLUBLE LIQUID

COMMERCIAL

READ THE LABEL BEFORE USING

GUARANTEE: Fosamine, ammonium salt 0.48 kg/L

REGISTRATION NO. 14064 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 18.93 L

CAUTION: EYE IRRITANT

DO NOT APPLY BY AIR

E. I. DU PONT CANADA COMPANY  
AGRICULTURAL PRODUCTS  
BOX 2300, STREETSVILLE  
MISSISSAUGA, ONTARIO  
L5M 2J4  
1-800-667-3925

**PRECAUTIONS:**

KEEP OUT OF REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL.

MAY IRRITATE EYES, NOSE, THROAT AND SKIN

Avoid breathing spray or mist.

Avoid contact with skin, eyes and clothing.

Wear long pants, a long sleeve shirt, shoes and socks when handling this product. In addition, wear chemical resistant gloves during mixing, loading, clean-up and repair activities, and during application using hand wand or back pack sprayers.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing immediately after handling this product. If gloves are worn, wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Do not enter or allow others to enter the treated area of application until spray has dried.

Do not use in residential areas or areas where bystanders may be in contact with treated foliage.

Residential areas are defined as sites where bystanders, including children, may be potentially exposed during or after spraying. These include areas around homes, school, parks, playgrounds, playing fields, public buildings or any other areas where the general public, including children, could be exposed.

Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses, cottages, schools and parks is minimal. Use the best available application strategies to minimize risk to non-target species. Take into consideration meteorological conditions (e.g., wind speed, wind direction, temperature), application equipment and sprayer settings used for application.

Do not graze livestock in treated areas, or cut or feed forage or hay from treated areas to livestock.

**ENVIRONMENTAL HAZARDS:**

Do not directly apply to any aquatic habitats that are traversed by the right of way.

Do not spray ditch banks, sites that are adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes or ponds.

Do not contaminate aquatic habitats when cleaning and rinsing spray equipment or containers.

**FIRST AID:**

**SKIN OR CLOTHING CONTACT:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**EYE CONTACT:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**INGESTION:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**INHALATION:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For medical emergencies call 1-800-441-3637 (24 hours).

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

### **IMPORTANT**

Do not use on food crops. Do not allow drift or spray mist to contact desirable trees, shrubs, or other plants, as injury may result. Do not contaminate any body of water.

### **GENERAL INFORMATION**

KRENITE® Brush Control Agent is a water soluble liquid to be diluted with water and applied as a foliar spray for control of many woody species on non-cropland areas. It is non-flammable and non-volatile.

KRENITE® Brush Control Agent is applied to brush from mid-June to late September. Response may not be observed until the following spring, particularly if minimum recommended rates are used or if cool temperatures prevail when spray is applied. Susceptible treated plants fail to refoliate and subsequently die. The addition of a surfactant is required to control most conifers and root suckering of certain deciduous species.

Deciduous brush bordering rights-of-way may be trimmed as KRENITE® Brush Control Agent provides control of only the portion sprayed.

DO NOT APPLY BY AIR

**DIRECTIONS FOR USE:**

“Krenite” Brush Control Agent should be used only in accordance with recommendations on this label. Separate recommendations published DuPont are available through local dealers.

Non-Cropland Areas – Railroad, pipeline, utility and highway rights-of-way, storage areas, industrial plant sites, and other similar areas:

Woody plants such as oak, maple, alder, hazel, ash, elm, birch, trembling aspen, beech and pine are controlled. The highest recommended application rate may be needed to control large tooth aspen, cherry, hemlock, white spruce and balsam fir. Sprays applied later than mid-August may not control white spruce.

Balsam Poplar and Cedar may not respond to treatment at recommended rates.

Apply by high pressure ground equipment to ensure good penetration to wet stems and trunks of target brush as well as leaves and buds. Use 500-3000 L of spray per hectare; number of litres required depends on height, density and type of brush.

Measure the proper amount of KRENITE® Brush Control Agent and use agitation to thoroughly mix into the necessary volume of water. Add a non-ionic surfactant. After KRENITE® Brush Control Agent has been thoroughly mixed in the spray tank, agitation of the spray solution is not required.

**NOTE:** If rainfall occurs within 24 hours, effectiveness may be decreased.

**RATES:** Use 10-15 L per 1000 L water. Add 1-2 L of surfactant to the mixture. Response (brown-out) may occur in the year of spray if the higher rates of chemical are sprayed during periods of high temperatures.

This product can be applied only once annually during the period after spring growth has hardened to the development of fall colouration in deciduous species.

The maximum application rate for low shrubs and brushes is 17.9 kg a.i./ha, and for tall, dense, woody species with very heavy foliage is 21.6 kg a.i./ha.

**SPRAYER CLEAN-UP**

Thoroughly clean all traces of KRENITE® Brush Control Agent from application equipment after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately). Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE:**

Store product in original container only, away from other pesticides, fertilizer, food, seed or feed. Not for use or storage in or around the home. Keep container closed.

**DISPOSAL:**

1. Triple- or pressure-rinse container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

®/tm Registered trademarks/trademarks of E.I. du Pont Company. E. I. du Pont Canada Company is a licensee. Member of CropLife.

\* All other products mentioned are trademarks of their respective companies.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.