# SPECTRUS NX1424 RECIRCULATING COOLING WATER MICROBISTAT

#### SOLUTION

#### **INDUSTRIAL**

# READ THE LABEL BEFORE USING CONTENTS: Liquid

## **GUARANTEE:**

Poly[oxyethylene(dimethylimino)ethylene (dimethylimino)ethylene dichloride].......15%

REGISTRATION NUMBER 13418 PEST CONTROL PRODUCTS ACT NET CONTENTS:

> SUEZ Water Technologies & Solutions Canada Headquarters: 3239 Dundas ST. West, Oakville, Ontario L6M 4B2 Business Telephone: 905-465-3030 Emergency Telephone: 1-(800) 877-1940

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from SUEZ Water Technologies & Solutions Canada.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

# PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not mix with any other chemical. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin and eyes. Wear a long-sleeved shirt and long pants, chemical resistant gloves during handling, clean-up and repair activities. In addition, a chemical resistant apron is required for workers handling end-use products in industrial settings. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

## FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2017-7707 2018-02-27

## TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsion may be needed. Avoid alcohol.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to fish and other aquatic organisms. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

## STORAGE: KEEP FROM FREEZING

## **DISPOSAL:**

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

## **DIRECTIONS FOR USE:**

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans, and other waters. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. This product is used to control algae, bacteria and fungi in recirculating cooling water systems. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. Initial shock dosages of 32 to 80 ppm are recommended until control is achieved. Subsequent slug additions of 8 to 80 ppm may be added every 2 to 5 days, or as needed.