

2014-3162
2014-09-24

SUREKILLER®

NO CFCs

INSTANT
PRESSURIZED RESIDUAL INSECTICIDE SPRAY

Contains Propoxur

DOMESTIC

NET WEIGHT: 400 g

DANGER



EXTREMELY FLAMMABLE

CAUTION



EXPLOSIVE

READ LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

2014-3162
2014-09-24

DIRECTIONS: Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. Do not inhale spray mist. **KEEP OUT OF REACH OF CHILDREN.**

OUTDOOR USE:

Ants, millipedes, fleas, spiders, clover mites, earwigs, sow bugs, and crickets. Spray all infested areas including window frames, outside of screen doors, foundations, light fixtures, patios and other places where insects may enter. Do not spray vegetables, plants or grass.

Spray places where ants enter premises.

For outdoor use only. **DO NOT** use indoors.

Outdoor application is limited to crack and crevice, structural, and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperature over 50°C. Do not spray near spark or flame. Avoid excessive wetting of rubber, plastic, linoleum, asphalt or other surfaces which may be affected by oils. **DO NOT USE ON HUMANS, ANIMALS, VEGETABLES, PLANTS, FOOD STUFF FOOD UTENSILS OR ANIMAL**

FEED AREAS. DO NOT USE AS A SPACE SPRAY. May be harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, clothing, feed or food. Avoid breathing of spray mist and provide good ventilation while treating.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name or Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison control centre at once. Atropine is antidotal.

DISPOSAL:

When container is empty, press valve to release all remaining pressure. Wrap and

2014-3162
2014-09-24

discard empty container in household garbage.

**GUARANTEE: Propoxur 0.5%, REG. NO. 18494 P.C.P. ACT, SUREKILLER
PRODUCTS LTD. 1285 ST. MARY'S AVENUE MISSISSAUGA, ON L5E 1H8**