2013-06-27 2013-0083

This product has been cancelled effective as of 02 March 2023.

Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (https://pesticide-registry.canada.ca).

R&C II®

spray insecticide pressurized

Kills lice and lice eggs on garments, bedding, mattresses and furniture infested with lice.

Not for use on humans or animals.

READ THE LABEL BEFORE USING

GUARANTEE

PYRETHRINS......0.3% PIPERONYL BUTOXIDE....1.5%

REG. NO. 14969 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

Net Contents 142 g

DOMESTIC CAUTION EXPLOSIVE

Shake well before and occasionally during use.

DIRECTIONS: Spray on an inconspicuous area to test for possible staining or discoloration. Inspect after drying then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 20 to 25 cm. Spray each 900 cm for about 3 seconds. For garments and bedding: spray those that cannot be either laundered or drycleaned immediately. For mattresses and furniture: spray, then air until completely dry at least 4 hours before re-use.

Vacate room after treatment and ventilate before reoccupying. Repeat treatment if reinfestation occurs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not puncture or incinerate can. Do not use near heat or store at temperatures above 50 °C. Avoid spraying in eyes. May be absorbed through skin. Avoid breathing spray mist. May cause skin irritation. Avoid contact with skin. Do not contaminate feed and foodstuffs. Do not wear treated garments or use bedding until thoroughly cleaned and infestation is eliminated. Intentional misuse by deliberately concentrating and inhaling the contents, can be harmful or fatal.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing.

Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all pressure. Wrap and dispose of empty container with household garbage.

NOTICE TO USER: This pest control is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

MEDTECH PRODUCTS 660 White Plains Road, Suite 205 Tarrytown NY 10591 UNITED STATES 1-800-465-8811 **********

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.