

2020-3957

2020-11-17

ALGIKILL 600

LIQUID ALGAECIDE

CONTROLS BLACK ALGAE in Swimming Pool Waters

Non foaming

DOMESTIC

REG. NO. 14245 P.C.P. ACT

ACTIVE INGREDIENT:

Poly [(oxyethylene (dimethylimino) ethylene (dimethylimino) ethylene dichloride)]. ..30%

Net Contents xxxx

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

International Pool Group Inc

7 Villandry Street Nepean
(Ontario) K2G 6X7

1-866-470-7264

- Effective on black, green, mustard and other algae.
- Helps flocculate dead algae and sedimentation to pool bottom for easy cleaning.
- Effective at any pH.
- Helps reduce chlorine demand.

DIRECTIONS FOR USE:

1. Initial dosage for pool water having no visible algae is 130 mL of ALGIKILL 600 per 10,000 L of pool water.
2. Weekly maintenance dosage is 45 mL of ALGIKILL 600 per 10,000 L of pool water.
3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait at least 24 hours before adding weekly maintenance dosage.
4. For visible algae, when superchlorination is not employed, add 200 mL of ALGIKILL 600 per 10,000 L of pool water.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes.

DISPOSAL: Rinse container thoroughly before discarding. Do not reuse empty container. Offer for recycling if available, or dispose in accordance with local and provincial regulations For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take

container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically