

2014-5381
2015-02-19

GARDEX
1% BAYGON RESIDUAL INSECTICIDE

COMMERCIAL

READ THE LABEL BEFORE USING

GUARANTEE: Propoxur.....1%

REGISTRATION NO. 11565 PEST CONTROL PRODUCTS ACT

DANGER

{Insert Skull & Crossbones Octagon}

POISON

NET CONTENTS
20 LITRES

GARDEX CHEMICALS LTD.
7 Meridian Rd., Etobicoke, ON M9W 4Z6
(TEL): 416-675-1638 OR 1-800-561-7302

2014-5381
2015-02-19

DIRECTIONS FOR USE:

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Millipedes, Paperlice, , Scorpions, Silverfish, Sowbugs, Spiders, and Wasps. Exposed Stages of: Angoumois Grain Moth, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Saw-toothed Grain Beetles and Weevils.

1% Baygon Residual Insecticide is a ready-to-use formulation for control of the insects listed including those resistant to certain chlorinated hydrocarbon and organophosphorus insecticides. This product drives insects from their hiding places, gives rapid kill and long residual activity.

DIRECTIONS FOR USE:

General: For use in areas of industrial, institutional and commercial locations where treatment will present no human hazard or contamination of food. Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

Do not use in indoor residential areas. Indoor residential areas are defined as any indoor use site where bystanders including children could be exposed during or after application. This includes homes, hospitals, schools, public buildings, day care facilities, motels, hotels, passenger areas of trains, buses or airplanes, and other indoor locations where the general public including children may be exposed.

Outdoor application is limited to crack and crevice, structural and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

Do not use mechanically pressurized equipment. Do not apply as a broadcast application. Application is limited to perimeter (one foot of wall and floor space treated around perimeter) and crack and crevice (application using a pin stream nozzle into cracks and crevices) application.

Cockroaches – Thoroughly treat the infested area. Spray baseboards, cracks and crevices; around window and door frames; the under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest. **Ants** – Apply to trails and places where ants enter premises such as window and doorsills. **Hornets and Wasps** – Spray directly to the nest after dark when all of the insects have returned to the nest. **Exposed stages of Angoumois Grain Moth, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Saw-toothed Grain Beetles and Weevils** – Thoroughly treat floors and the walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products. **Silverfish** – Apply to localized areas infested by these insects. **Brown Dog Ticks** – Spray sleeping quarters of pets around baseboards, window frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals. **Clover Mites, Crickets, Earwigs, Millipedes, Sowbugs, Scorpions and Spiders** – Thoroughly spray the interior and exterior perimeter of the infested premises. For Clover Mites give special attention to the windowsills.

2014-5381
2015-02-19

Fleas and Flies (outdoors only) – Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

For use in Meat Packing and Food Processing Plants – Obtain a fine flat fan spray pattern. Use only in the inedible product areas of meat packing plants, including those that are federally inspected. Any exposed food products, equipment, or packaging materials must be removed or covered before spraying. Rinse all equipment with water before resuming operations. Treat food-processing plants early in the season before canning or other processing begins. Repeat applications, if necessary, when plant is not in operation. Spraying where insects congregate will aid in preventing re-infestation. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

RESTRICTIONS – Do not use as a space spray. Provide adequate ventilation of area being treated. Do not store near feed or food products. Avoid contamination of feed, food, food processing equipment and food handling and packaging surfaces. Do not apply to animals. Remove animals before spraying. Do not spray plants.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist. Do not get in eyes, on skin, or on clothing. Wash hands, arms and face thoroughly with soap and water after using and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. **Flammable:** Do not spray near open flame. Do not smoke while using. Avoid excessive heat. **POISON:** Do not swallow.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **In case of skin or clothing contact,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician. This product contains Petroleum Distillates.

2014-5381
2015-02-19

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.