Page 1 of 4

1 Litre

AMBUSH® 50EC

Emulsifiable Concentrate Insecticide

AGRICULTURAL

For Use on Greenhouse Ornamentals, Tomatoes and Cucumbers

GUARANTEE:

permethrin.....500 g per litre

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Store above 0°C

REGISTRATION NUMBER **14976**PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1 Litre

Amvac Chemical Corporation

4695 MacArthur Court Suite 1200 Newport Beach CA 92660 United States Distributed by: Plant Products Co. Ltd. Brampton, Ontario L6T 1G1

A93/A-3

AMBUSH 50EC is a synthetic pyrethroid insecticide of low mammalian toxicity. It is a fastacting stomach and contact insecticide with no systemic or fumigant effect. It is recommended for control of whiteflies on greenhouse ornamentals, tomatoes and cucumbers.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If splashed in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

Toxicological information:

This product contains a Petroleum Distillate. Treat symptomatically.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid splashing concentrate in eyes or on hands. Wear suitable protective respiratory equipment when applying in enclosed areas. This product is very toxic to fish. Do not contaminate ponds, lakes, streams or rivers during sprayer filling operations or while spraying. This product is very toxic to bees; avoid spraying when bees are foraging.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in U.S., visit CropLife Canada's web site at: **www.croplife.ca.**

This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

STORAGE

Store in a cool, dry, well ventilated area away from foodstuffs and out of the reach of children and animals. Keep product from freezing.

SPILL CLEANUP

Wear appropriate protective equipment (gloves, glasses, apron) when attempting to clean up the spill. If the container is leaking, secure leak and place the container into a drum or heavy gauge plastic bag. Contact Syngenta Crop Protection Canada, Inc. (see EMERGENCY TELEPHONE NUMBER) for further information.

For spills and leaks; contain the liquid with dikes of inert material (soil, clay, kitty litter etc.). Absorb the spill onto inert material and shovel into a sealable wastecontainer.

On hard surfaces - sprinkle spill area with detergent and scrub in a small quantity of water with a coarse broom. Let stand 10 minutes then absorb onto an inert material and shovel into the waste container.

On soil - remove the top 15 cm of soil in the spill area and replace with fresh soil. Dispose of all waste including scrub bush in accordance with provincial requirements. For more information on the disposal of waste and the clean up of spills, contact the Provincial Regulatory Agency and the Manufacturer.

DISPOSAL

Rinse the empty container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency and the Manufacturer.

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING CALL 1-800-327-8633 (FASTMED)

DIRECTIONS FOR USE

GREENHOUSE ORNAMENTALS: Aspidistra, Begonia, Boston Fern, Chrysanthemums, Cordyline, Dieffenbachia, Draceana, Ficus, Fuchsia, Geranium, Gerbena, Impatiens, Petunias, Philodendron, Poinsettias, Roses, Sanseveria, and Spider plants: **Greenhouse Whitefly** - Mix 20 mL of AMBUSH 50EC Insecticide in 100 L water. Apply to cover all foliage thoroughly. Repeat application as necessary to maintain control. Although no damage has been recorded, it is advisable to keep spray off open blooms in greenhouses.

Chrysanthemum Leafminer - Mix 20 mL of AMBUSH 50EC Insecticide in 100 litres of water. Apply using conventional spraying equipment when insect populations develop. Repeat applications weekly as needed.

GREENHOUSE TOMATOES AND CUCUMBERS: Greenhouse Whitefly - Mix 20 mL of AMBUSH 50EC Insecticide in 100 L water. Apply to cover all foliage thoroughly. Repeat

Page 4 of 4 application as necessary to maintain control. May be applied up to 1 day before harvest of tomatoes and cucumbers.

NOTE FOR GREENHOUSE USE: Do not mix AMBUSH 50EC Insecticide with other pesticides, as many plant varieties may respond differently to mixtures of chemicals. On waxy leaf ornamentals, the use of a spreader sticker may improve the effectiveness of AMBUSH.

Contents manufactured in U.K.

AMBUSH is a registered trademark of Amvac Chemical Corporation

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.