

06-MAR-2007

29-JAN-2008 Notification - Change in Registrant

(BOTTLE)

C-I-L[®]
MALATHION
ORNAMENTAL INSECT KILLER

DOMESTIC

REG. NO. 17816 P.C.P. ACT

GUARANTEE: Malathion 125 g/L

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL AND BOX BEFORE USING

250 mL (500 mL)

Notification Change

~~Spectrum Brands IP Inc.,~~
P.O. Box 12001,
Brantford, ON
N3R 7W9

Sure-Gro IP Inc.

**KEEP BOX FOR USE DIRECTIONS
HANDLING INSTRUCTIONS.**

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled, swallowed or absorbed through skin. Avoid inhaling spray mist or contact with skin, eyes or clothing. Wash thoroughly after use. Do not expose to open flames. Highly toxic to fish and bees. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment. **KEEP CHILDREN AND PETS AWAY FROM TREATED AREA DURING APPLICATION AND UNTIL DRY.**

FIRST AID: DANGER – This product contains petroleum distillate. Therefore, **if swallowed**, DO NOT induce vomiting. **If patient is unconscious**, give air. Obtain medical attention or contact a poison control center IMMEDIATELY. **If in eyes**, flush with plenty of water; get medical attention. **If on skin**, wash with soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Malathion, upon repeated and prolonged use, may cause cholinesterase inhibition. Atropine is antidotal. Do not use 2-PAM as a substitute for atropine, but 2-PAM can be used as an adjunct.

DISPOSAL: Do not reuse empty container or measuring cup. Dispose in household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.
www.cil.nu-gro.com

C-I-L Oval® ICI Canada Inc./ Lic. Nu-Gro

CARTON

C-I-L[®]
MALATHION
Ornamental Insect Killer

FREE Measuring Cup Enclosed.

DOMESTIC

REG. NO. 17816 P.C.P. ACT

GUARANTEE: Malathion 125 g/L

DANGER



POISON

READ THE LABEL AND BOX BEFORE USING
KEEP OUT OF REACH OF CHILDREN

250 mL (500 mL)

Notification Change

~~Spectrum Brands IP Inc.,~~ Sure-Gro IP Inc.
P.O. Box 12001,
Brantford, ON
N3R 7W9

KEEP BOX FOR USE DIRECTIONS.

5 mL = 1 teaspoon, 15 mL = 1 tablespoon

FLOWERS, SHRUBS, SHADE TREES, FRUIT TREES, VEGETABLES OUTDOORS:

For Aphids, Caterpillars, Codling Moths, Lacebugs, Leafhoppers, Mealybugs, Scales, Spider Mites, Tarnished Plant Bugs, Thrips, use 60 mL per 10 L of water and spray to point of runoff. For young Grasshoppers, use 80 mL per 10 L of water. Repeat as necessary. For Spruce Budworm, use 120 mL per 10 L of water. Apply as soon as larvae are present. Drench thoroughly. Repeat in 5-7 days if required. For Maple Bladder Gall Mites, use 120 mL per 10 L of water. Apply when buds are turning green and repeat spray in two weeks.

CAUTION: Do not use on Crimson King Maples. May injure Petunias, Ferns, African Violets and Junipers. Do not apply within 7 days of harvest on food crops.

HANDLING INSTRUCTIONS

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep children and pets away from treated area during application and until dry. Harmful if inhaled, if swallowed or absorbed through skin. Avoid inhaling spray mist or contact with skin, eyes and clothing. Wash thoroughly after use. Do not expose to open flames. Highly toxic to fish and bees. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

FIRST AID: DANGER - This product contains petroleum distillate. Therefore, **if swallowed**, DO NOT induce vomiting. If patient is unconscious, give air. Obtain medical attention or contact a poison control center IMMEDIATELY. **If in eyes**, flush with plenty of water; get medical attention. **If on skin**, wash with soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Malathion, upon repeated and prolonged use, may cause cholinesterase inhibition. Atropine is antidotal. Do not use 2-PAM as a substitute for atropine, but 2-PAM can be used as an adjunct.

DISPOSAL: Do not reuse empty container or measuring cup. Dispose in household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.cil.nu-gro.com

C-I-L Oval® ICI Canada Inc. / Lic. Nu-Gro

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.