

**PYRENONE ®
FOOD PLANT FOGGING INSECTICIDE**

COMMERCIAL

*CONTAINS PYRETHRINS AND PIPERONYL BUTOXIDE

GUARANTEE:

Pyrethrins.....0.5%
Piperonyl Butoxide, Technical.....5.3%

PYRENONE-Registered trademark of Bayer

REGISTRATION NO.: 15140
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

FIRST AID

IF SWALLOWED: Do NOT induce vomiting, but bring patient to hospital taking this container along. If medical attention is not available, contact a poison control centre **IMMEDIATELY**. This product contains petroleum distillate.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with clean water. If irritation persists, obtain medical attention or contact a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically

NET CONTENTS: 1 litre

Bayer CropScience Inc.*
Suite 100 –3131 114th Avenue S.E.
Calgary, AB T2Z 3X2
Telephone: 1-888-283- 6847

*Bayer Environmental Science
A Division of Bayer CropScience

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Harmful if Swallowed. Avoid contact with skin, eyes, clothing and inhalation of spray mist. Wash after use.

Use this product in food processing plants only when the plant is not in operation. Remove or cover food and food storage areas during treatment. Cover all food processing surfaces or thoroughly clean before using again. Remove pets, birds and cover fish aquaria before spraying.

DIRECTIONS FOR USE

GENERAL INFORMATION:

Apply with equipment designed and adjusted to deliver a true aerosol mist. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

DISPOSAL:

1. Triple - or pressure - rinse the empty container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FOOD PROCESSING PLANTS, FOOD SERVICE ESTABLISHMENTS, FOOD STORAGE, FOOD TRANSPORTATION VEHICLES:

To control **Flies, Drosophila, Gnats, Mosquitoes**: Close doors and windows and shut off ventilating systems. Use a fogger or sprayer adjusted to deliver a fine mist or fog. Spray upward to fill the room with a fine mist. Use 100 to 200 mL material per 100 cubic metres of space. Keep the area closed for 10 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

Angoumois Grain Moths, Mediterranean Flour Moths, Indian meal Moths And Tobacco Moths: Close doors and windows, and shut off ventilating systems. Apply as a fine mist to insects hiding and breeding areas. If possible, hit insects directly. Expose one hour, then ventilate one hour before re-entry. Repeat treatment as necessary.

SURFACE SPRAY:

To Control **Ants, Cockroaches, Crickets, Silverfish, Spiders**:

Remove or destroy infested products to prevent reinfestation. Cover all food storage areas, then apply as a coarse droplet spray to surfaces where insects are found. For **Silverfish**, spray bookcases. For **Ants**, spray trails, nests and points of entry. Use 5 to 7 litres per 100 square metres. Repeat every 2 to 3 days until the infestations are eliminated. If possible, hit insects directly.

Caddisflies, Cheese Mites, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Grain Mites, Granary Weevils, Mealworms, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Spider Beetles: Apply as above using a coarse wet spray to cracks and crevices where insects hide. Repeat as necessary.

To control **Carpet Beetles**: Spray edges of carpeting and under carpeting and rugs. Make a localized application to the floor and baseboards. Spray directly into cracks and crevices and infested areas of shelving. Repeat treatment as necessary.

To Control **Bedbugs**: Take the bed apart. Spray the frame and springs, especially cracks and crevices where the insects may hide. Spray the mattress with particular attention to the tufts and seams. Also spray cracks, crevices, baseboards and other possible hiding places about the room. Repeat treatment as necessary.

To Control **Fleas**: Spray sleeping quarters and other areas where infested animals stay. Fresh bedding should be placed in animal quarters following treatment. Product must contact the insects. Repeat as necessary. Concurrent treatment of animals with an insecticide registered for use on animals is recommended.

To Control (adult) **Clothes Moths**: Remove any infested articles from storage, brush thoroughly and air in sunlight for several hours. Spray suspected enclosure arranging clothes and other articles so that mist may circulate freely around them. Keep spray nozzle at least one metre from fabric to avoid staining. Close for 45 minutes after spraying. Store clothes in moth tight containers or repeat treatments monthly.

OUTDOOR AREAS (INCLUDING RESIDENTIAL AREAS, RECREATIONAL AREAS, WASTE AREAS, ROADSIDES, PASTURES):

To Control **Adult Mosquitoes**: Apply at a rate of 550 mL per hectare.

COLD AEROSOL GENERATOR: Apply as a fog in which the big majority of the particles are in the 5 to 50 micron range. Use equipment such as a truck-mounted LECO machine. Apply when there is a slight breeze, 10 kilometres per hour or less. Fog with the breeze. Apply with the discharge nozzle at 30 angle above the horizontal off the side of the truck.

BACK PACK APPLICATOR: Apply when there is a slight breeze, 10 kilometres per hour or less. Fog with the breeze.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the *PEST CONTROL PRODUCTS ACT* to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.