

2022-0975

2022-03-04

ULD® P3610
Liquid Airborne Spray

Designed for general purpose insect control in offices, hotels, motels, food processing areas – wherever insects are a problem

ULTRA LOW DOSAGE
FOR USE ONLY IN MICRON GENERATORS

COMMERCIAL

GUARANTEE:

Pyrethrins3.0%
Piperonyl butoxide, technical6.0%
N-octyl bicycloheptene dicarboximide10.0%

REGISTRATION NO. 15295

PEST CONTROL PRODUCTS ACT

CAUTION - KEEP OUT OF REACH OF CHILDREN
READ LABEL BEFORE USING

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING
THIS PRODUCT, CALL DAY OR NIGHT
1-800-454-2673

3.8 LITRES

BASF Canada Inc.
5025 Creekbank Road
Building A, 2nd Floor
Mississauga, Ontario L4W 0B6

Tel. No. 1-877-371-2273

2022-0975

2022-03-04

(Back Panel)

DIRECTIONS: Space Spray

Use undiluted to kill the adult and accessible forms of insect pests* of stored food (stored in multiwall paper bags or in cloth bags) in warehouses, storage rooms and similar locations: Close room or warehouse and shut off all ventilating systems. All switches operating any electrical equipment which might function during the operation should be turned off. All fires, flames and pilot lights or other sources of ignition should be extinguished and safely shut off. Use a spraying device similar to the BASF equipment to dispense this product. Use a dosage of 100 mL of this spray per 100 cubic meters of room space. Do not remain in treated areas. Ventilate area before re-entry. Leave the room closed for one hour. Repeat applications as necessary for insect control.

*Among these are the Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth

SEE SUPPLEMENTAL LABEL FOR COMPLETE DIRECTIONS

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid skin contact. Harmful if swallowed. Avoid inhalation of spray mist. Do not use in milk processing plants, milk parlours or dairy barns. In meat packing and food processing plants, only spray when plant is not in operation. No exposed meat produce ingredients or packaging materials are to be left in the room and cover food handling equipment. Any treated surface that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing. **DO NOT USE ON FOOD.**

Mix well in container before each use. Keep container closed and store in cool place.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

2022-0975

2022-03-04

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL

1. Triple or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product contact the manufacturer or the provincial regulatory Agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

ULD® P3610 Liquid Airborne Spray – Complete Label

Space Spray - Use undiluted to kill accessible stages of insects* infesting dried fruit products in storage or being processed: Close room or warehouse and shut off all ventilating systems. All switches operating any electrical equipment which might function during the operation should be turned off. All fires, flames and pilot lights or other sources of ignition should be extinguished and safely shut off. Use a spraying device similar to the BASF equipment to dispense this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use a dosage not to exceed 200 mL per 100 cubic meters of room space. Do not reapply within 30 days. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Roaches.

Space Spray - Use diluted to kill flies, mosquitoes and gnats in open areas: Dilute concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (24°C or less) and the wind velocity is approximately 8 km per hour. With equipment similar to the BASF equipment, spray at a dosage rate of 450 mL per minute upwind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 8 km per hour. Repeat application as required.

Space Spray - For control of drosophila, flies, gnats, mosquitoes, and wasps in food processing plants, food service establishments, food storage areas, and food service vehicles: Dilute concentrate with a white mineral oil or an odorless light petroleum hydrocarbon at the rate of one part concentrate to two parts oil, and mix well. Do not apply while food processing is underway. Cover or remove any food. Cover any equipment that will be in direct contact with food. All switches operating any electrical equipment which might function during the operation should be turned off. All fires, flames and pilot lights or other sources of ignition should be extinguished and safely shut off. Using BASF equipment adjusted to deliver aerosol droplets (30 microns or less) apply 100 mL per 100 cubic meters of room space. Leave room closed for one hour and ventilate before re-entry. Before processing begins, use potable water wash down all equipment, benches, shelving, etc. where exposed food will be handled.

Space and Contact Spray - Use undiluted to kill cockroaches, silverfish, ants, spiders, and cigarette beetles in food processing plants and other sheltered situations. With equipment described above, apply the spray into all cracks and crevices and woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 50 mL per 100 cubic meters of room space. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Repeat dosage as necessary for control.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent

2022-0975

2022-03-04

with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.