

2012-09-20

2012-0817

Kills Rats and Mice!

R A M E X

RAT AND MOUSE EXTERMINATOR WITH DIPHACINONE

MANUFACTURED WITH OATS

COMMERCIAL

GUARANTEE: DIPHACINONE 0.005%

REG. NO. 13920 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

**Only to be used by certified pest control operators, farmers and persons
authorized in government-approved pest control programs.**

RAMEX CO. OF CANADA LTD.

51 Courage Place, Winnipeg, MB R3X 1W6, (204) 291-2134

ramexkillsratsandmice.ca

NET CONTENTS: 48 x 225 gram bags

RAMEX Kills Rats and Mice

GUARANTEE: DIPHACINONE 0.005 %

REG. NO. 13920 PEST CONTROL PRODUCTS ACT

RODENTICIDE

COMMERCIAL

READ THE LABEL BEFORE USING

NET CONTENT – 200 g

Only to be used by certified pest control operators, farmers and persons authorized in government approved pest controlled programs.

Ramex Co. of Canada Ltd. 51 Courage Place, Winnipeg, MB R3X 1W6 (204) 291-2134

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through skin. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case, measured by establishing prolonged prothrombin time (P.T.), will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DIRECTIONS FOR USE: For the control of rodents indoors and outdoors within 15 metres of buildings. Rodenticide bait can be placed in tamper-resistant bait stations along the fence line of properties, outside of the 15 metre limit but within 100 metres of buildings, if the station is securely fastened (e.g., nailed down) to the fence or ground. Use 1 place pack per bait placement for rats, and 30 grams of bait per bait placement for mice. Place bait along walls (3 – 5 metre intervals for rats and 2 – 3 metre intervals for mice), in corners and in concealed locations where rodents can feed unobserved. An uninterrupted supply of fresh bait should be maintained for at least 10 days for rats, and 15 days for mice, and should be continued for as long as rodent activity is observed.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

Food Processing, Food Manufacturing, Food Storage and Food Service Areas: For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging

material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

USE LIMITATIONS: Bait **MUST** be placed either in tamper-resistant bait stations or in locations not accessible to children, pets, livestock or non-target wildlife. **DO NOT** place bait in area where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Bait stations (**tier 3**) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection molded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, "WARNING POISON", and the skull and cross bones symbol.

Bait stations (**tier 2**) used for the rodenticide bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations: (1) resistant to destruction by non-target animals; and (2) have an entrance designed so that non-target animals cannot reach the bait.

Bait applied outdoors and above-ground **MUST** be placed in bait stations.

Bait stations (**tier 1**) used outdoors, above-ground, in locations accessible to children, pets and non-target wildlife must have the following characteristic, in addition to those outlined above for tier 2 and 3 bait stations: (1) be resistant to destruction or weakening by elements of typical non-catastrophic weather (such as snow, rain, extremes of temperature, direct sunshine, etc.).

DISPOSAL: do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information of disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Product Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.