

2023-1817
2024-01-26

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-1817
2024-01-26

VET-KEM[®]

FLEA & TICK SHAMPOO for Dogs and Cats

DOMESTIC

FOR USE ONLY ON DOGS AND CATS

Kills dog fleas, cat fleas, brown dog ticks and American dog ticks.

DO NOT USE ON PUPPIES OR KITTENS LESS THAN 12 WEEKS OLD
DO NOT USE ON ANY OTHER ANIMAL

ACTIVE INGREDIENT:

Pyrethrins 0.05%

Piperonyl Butoxide 0.5%

Contains methylparaben at 0.168% and propylparaben at 0.084% as
preservatives.

REG. NO. 17400 P.C.P. ACT

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

Wellmark International
100 Stone Road West, Suite 111
Guelph ON N1G 5L3
1-800-688.7378

NET CONTENTS: 100 mL - 4L

2023-1817

2024-01-26

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID:

HUMANS: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

PETS:

Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and PCP Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION:

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with mouth, eyes, skin and clothing. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pet until dry. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed. Avoid contact with pet's mouth, face, eyes, and genitals. **DO NOT** allow pet to lick the suds from the coat or to ingest any of the shampoo.

Side Effects:

Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or 1-800-688-7378.

2023-1817

2024-01-26

Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting, or loss of appetite may also occur. If these or other side effects occur consult your veterinarian or 1-800-688-7378.

DIRECTIONS FOR USE:

Insecticidal shampoo for cats and dogs to kill cat and dog fleas, brown dog ticks and American dog ticks and to clean and condition the hair.

DO NOT administer by mouth. Wet coat of the cat or dog thoroughly with warm water. Apply shampoo, working lather down to the skin from head to tail until entire body is covered. Ticks are difficult to control, therefore take care to treat individual ticks. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. **DO NOT** apply to the cat or dog's face, eyes, nose, mouth or genitals. Allow lather to remain on pet for 5-10 minutes. Rinse thoroughly with water to remove all traces of shampoo from the coat. Dry the cat or dog thoroughly with a dry towel and comb or brush. **DO NOT** use on nursing animals, dogs or cats under 12 weeks of age. Consult a veterinarian before using on sick, aged or pregnant dogs or cats or animals receiving drug or other pesticide treatment. **DO NOT USE ON ANY OTHER ANIMAL.** Reapply once every 2 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. **DO NOT** use this shampoo more often than once every 2 weeks. **DO NOT** use solely as a shampoo when there is no pest problem. Treatment must only be repeated if pest problem reoccurs.

This product contains Pyrethrins and piperonyl butoxide. **DO NOT** apply another pest control product such as a shampoo, spot on, collar or powder which contains Pyrethrins or piperonyl butoxide to the treated cat or dog when using Vet-Kem Flea & Tick Shampoo for Dogs and Cats.

For effective flea and tick control, treatment of the cat or dog should be combined with sanitation of any area used by the cat or dog. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required (VetKem Siphotrol products). A veterinarian should be consulted when pest infestation continues to be a problem on the cat or dog. The use of an effective product for controlling adult and larva flea populations in the cat or dog's environment will reduce the possibility of re-infestation of the animal.

STORAGE: Store this product away from food or feed.

2023-1817
2024-01-26

DISPOSAL: Do not reuse the empty container. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

100% satisfaction guaranteed.

HOT LINE 1-800-688-7378

® Registered Trademarks of Wellmark International