2014-02-06 2013-2789 Datapak

SUPER SPREADER ADJUVANT

COMMERCIAL

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

REGISTRATION NO. 17402 PEST CONTROL PRODUCTS ACT

GUARANTEE: Octylphenoxypolyethoxy ethanol 50%

IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273

LOVELAND PRODUCTS CANADA INC. 789 Donnybrook Drive Dorchester, Ontario N0L 1G5 1-800-328-4678

NET CONTENTS: 3.785 L - 1000 L

DIRECTIONS FOR USE

SUPER SPREADER ADJUVANT is a nonionic water solution product which enhances the effectiveness of agricultural and non-crop chemicals.

HOW DOES IT WORK? When SUPER SPREADER ADJUVANT is added to the spray mixture, foliage wettability is improved through the formation of a continuous uniform film on leaf surfaces.

SUPER SPREADER ADJUVANT performs well in both hard and soft water.

HOW TO MIX: Fill the spray tank about half-full with water and add the required chemical while the agitator is running or bypass agitation is operating. Complete the filling of the tank with water and finally add SUPER SPREADER ADJUVANT under constant agitation. Refer to specific product labels for more details. Add SUPER SPREADER ADJUVANT to a spray mixture when the use of such an adjuvant is recommended on the label. Follow the chemical label for complete instructions on rate of chemical to use.

Use SUPER SPREADER ADJUVANT as follows:

CHEMICAL PRODUCT	Amount of SUPER SPREADER ADJUVANT per 1000 L of spray solution	REMARKS
ACCENT	2 L	
ALLY	2 L	
BASAGRAN,	1.25 L	Use this low rate with soft water.
BASAGRAN FORTE	2.5 L	Use this rate with hard water.
ELIM	2 L	
ESCORT	2 L	
MUSTER	2 L	
PINNACLE	1 L	
PRISM HERBICIDE 25% DF, PRISM SG HERBICIDE	2 L	
DVD A MINI EI	1.25 L	Use this low rate with soft water.
PYRAMIN FL	2.5 L	Use this rate with hard water.
TELAR	1 L	Also for TELAR plus KROVAR I DF tank mixes.
REFINE HERBICIDE DF	2 L	
REFINE EXTRA 75 DF HERBICIDE, REFINE EXTRA 75 TOSS-N-GO HERBICIDE	2 L	
REFLEX	1 L	
RELIANCE STS	2 L	

ULTIM 37.5 DF HERBICIDE, ULTIM 75 DF HERBICIDE	2 L	

	EVEREST SOLUPAK 70 DF at	
Spring Wheat Including: Hard red spring, Canada Prairie spring, soft white spring and extra strong (utility) wheat Wild Oats Green Fox Broad Leaf Weeds liste the 2,4-D H label	21.5 g/ha +2,4-D ESTER up to 560 g a.e./ha	Follow all directions and precautions on the tank-mix partner labels.

STORAGE

SUPER SPREADER ADJUVANT may be stored for a minimum of two years at any temperature without loss of activity. Container must be tightly closed during storage.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be hazardous if swallowed. Avoid contact with eyes. CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support this use. DO NOT APPLY BY AIR.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at: www.croplife.ca/.

TOXICOLOGICAL INFORMATION

SUPER SPREADER ADJUVANT is a surfactant. The effects of acute exposure by possible route of entry are: **Skin Contact:** No effects of exposure expected due to contact. Prolonged contact may cause skin irritation or dermatitis in some individuals.

Eye: Causes painful stinging or burning of eyes and lids, watering of eyes, conjunctivitis, opaqueness of cornea, possibly leading to loss of sight.

Inhalation: If misted, may cause sneezing, slight irritation of nose and throat.

Ingestion: May cause nausea and vomiting.

Notes to Physician: This product contains Diethylene Glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult. Treat symptomatically.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **INHALATION:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

- 1. Triple or pressure rinse the empty container. Add the rinsing to the spray mixture in the tank.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *PEST CONTROL PRODUCTS ACT* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

®ACCENT, ALLY, ESCORT, MUSTER, PINNACLE, TELAR, REFINE and REFINE EXTRA, ELIM, PRISM, RELIANCE and ULTIM are registered trademarks of E.I. Du Pont Canada Company REFLEX is a registered trademark of SYNGENTA Crop Protection Canada. BASAGRAN and PYRAMIN are registered trademarks of BASF Canada Inc.. EVEREST is a registered trademark of Arysta Lifesciences North America Corporation.

SUPER SPREADER ADJUVANT

COMMERCIAL

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

REGISTRATION NO. 17402 PEST CONTROL PRODUCTS ACT

GUARANTEE: Octylphenoxypolyethoxy ethanol 50% Loveland Products Canada Inc.

789 Donnybrook Drive Dorchester, Ontario N0L 1G5 1-800-328-4678

NET CONTENTS: 3.785L to 1000L

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be hazardous if swallowed. Avoid contact with eyes. CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support this use. DO NOT APPLY BY AIR.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

TOXICOLOGICAL INFORMATION

SUPER SPREADER ADJUVANT is a surfactant. The effects of acute exposure by possible route of entry are: **Skin Contact:** No effects of exposure expected due to contact. Prolonged contact may cause skin irritation or dermatitis in some individuals. **Eye:** Causes painful stinging or burning of eyes and lids, watering of eyes, conjunctivitis, opaqueness of cornea, possibly leading to loss of sight.

Inhalation: If misted, may cause sneezing, slight irritation of nose and throat.

Ingestion: May cause nausea and vomiting.

Notes to Physician: This product contains Diethylene Glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult. Treat symptomatically.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **INHALATION:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

- 1. Triple or pressure rinse the empty container. Add the rinsing to the spray mixture in the tank.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.

5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.