2024-2617
2024-08-06

(#17048 FRONT PANEL)

SUPERIOR Inc.

SUPER BLOCK II

RODENT BAIT BLOCK

For use in and around buildings.

COMMERCIAL

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND PETS

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

NET CONTENTS: (450 g per unit case of 9.072 Kg)

REGISTRATION No. 17048 P.C.P ACT

ACTIVE INGREDIENT: Chlorophacinone 0,005%

WARNING: Contains the allergen wheat.

Les Produits de Contrôle Supérieurs Inc./Superior Control Product Inc. 1937 rue Le Chatelier, Laval, Qc, H7L 5B3, Canada

Toll free: 1-(855) 808-2333

(#17048 SIDE PANNEL) 2011-3670

USE LIMITATIONS: Bait MUST either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock or non-target wildlife. DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Bait stations (tier 3) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics:

- be constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children;
- have an entrance designed so that children cannot reach the bait;
- have an internal structure that prevents bait from being shaken loose;
- have an access panel that fastens securely and locks (e.g., metal screw or padlock); and
- bear the product name, active ingredient, guarantee, registration number, "WARNING POISON", and the skull and crossbones symbol.

Bait stations (tier 2) used for the placement of rodenticide bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations:

- resistant to destruction by non-target animals; and
- have an entrance designed so that non-target animals cannot reach the bait.

Bait applied outdoors and above-ground MUST be placed in bait stations.

Bait stations (tier 1) used outdoors, above-ground, in locations accessible to children, pets and non-target wildlife must have the following characteristic, in addition to those outlined above for tier 2 and 3 bait stations:

• be resistant to destruction or weakening by elements of typical non-catastrophic weather (such as, snow, rain, extremes of temperature and humidity, direct sunshine, etc.).

DIRECTIONS FOR USE:

FOR CONTROL OF ROOF RATS (Rattus rattus) AND NORWAY RATS (Rattus norvegicus)

For use in and around buildings. Place or hang one **SUPER BLOCK II** RODENT BAIT BLOCK of 450g in locations where rats are accustomed to feed, travel, and drink or live. Replace any stale or mouldy bait every 15 days. Maintain bait supply until all signs of feeding stops. Use indoors and outdoors within 15 metres of buildings. Rodenticide bait in tamper-resistant bait stations, can be placed along the fence line of properties, outside of the 15-metre limit, but within a 100 metres of buildings, if the station is securely fastened (e.g., nailed down) to the fence or the ground. Place BAIT in secluded corner, along wall, under cover where rats feel safe to feed. In sewers, place above high water mark. Assure an uninterrupted supply of uncontaminated and unspoiled BAIT for a period of no less than 15 days and continue baiting until all signs of feedings have stopped. Where a continuous source of infestation is present, permanent BAIT stations must be established and the BAIT replenished as needed. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. DO NOT MANIPULATE WITH YOUR BARE HANDS. May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and

water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL:

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Keep away from fire open flame, or other source of heat.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents with household garbage or by burying.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: If swallowed or absorbed, this material may reduce the clotting ability of the blood and cause internal bleeding. Vitamin K¹ administered in the form of intramuscular or subcutaneous injections, or by oral ingestion is the suggested remedial treatment for anticoagulant poisoning. The severity of the case, measured by establishing prolonged prothrombin times (P.T.), will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.