This label has been updated according to the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 08-29-2025 in accordance with the phase out period set out in the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

SPECTRUS OX1205C OXIDIZING MICROBIOCIDE INDUSTRIAL



DANGER: CORROSIVE TO EYES AND SKIN

READ THE LABEL BEFORE USING

Contents: Liquid ACTIVE INGREDIENTS: Available chlorine present as sodium hypochlorite.....10.3%

REGISTRATION NO. 17469 PEST CONTROL PRODUCTS ACT NET CONTENTS: 20 L, 205 L, 1000 L – 15,400 L

Veolia Water Technologies & Solutions Canada GP 3239 Dundas Street West Oakville, ON L6M 4B2

EMERGENCY TELEPHONE NUMBERS TRANSPORTATION EMERGENCIES ONLY Canada/Canutec: 1-613-996-6666

ALL OTHER EMERGENCIES

Veolia Water Technologies & Solutions Canada GP 1-215-942-3621

FOR INDUSTRIAL USE ONLY: Technical advice regarding specific site problems is available from Veolia Water Technologies & Solutions Canada GP.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label.

It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

PRECAUTIONARY STATEMENTS:

KEEP OUT OF REACH OF CHILDREN

DANGER – Dangerous gas formed when mixed with acid. May be fatal if swallowed. CORROSIVE to the eye. DO NOT get in eyes. Corrosive to the skin. DO NOT get on skin. Harmful if inhaled. Avoid breathing dusts and fumes. Wear long-sleeved shirt, long pants, chemical-resistant gloves, protective eyewear (goggles or face shield), socks and shoes when handling this product.

ENVIRONMENTAL PRECAUTIONARY STATEMENT:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Open dumping is prohibited. Do not contaminate water, food or feed by disposal or storage.

2023-6811 2024-07-15

This registration is granted under the Pest Control Products Act and does not exempt the user from any other legislative requirements. Use of this product and management of any resulting discharge or release of effluents containing this product must also be in accordance with the Fisheries Act and with any other applicable federal or provincial legislation. Consult with provincial regulatory authorities on any authorizations or other requirements for use of this product and management of any resulting discharge or release of effluents containing this product.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Take container, label, product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsion may be needed.

STORAGE: KEEP FROM FREEZING. Store this product away from food or feed.

DISPOSAL:

- 1. Triple- or pressure-rinse the emptied container. Add the rinsings to the spray treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.
- 6. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact Veolia Water Technologies & Solutions Canada GP and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE:

INDUSTRIAL RECIRCULATING WATER SYSTEMS/INDUSTRIAL, COMMERCIAL ORNAMENTAL WATER SYSTEMS

This product is recommended for the control of bacteria, algae and fungi. Add sufficient amount of this product to maintain a free residual of 0.6 to 1.0 ppm free chlorine or 1.0 to 5.0 ppm total chlorine residual. For shock chlorination, the recommended dosage of this product is 50 ppm, based on total system

2023-6811 2024-07-15

volume. This will develop a free chlorine residual of 1 to 2 ppm for a period of 1 to 2 hours. Shock feeding may be on a 24 hour basis but no less than twice per week.

Not for use in ornamental water systems containing fish.

MUNICIPAL WATER TREATMENT OF SEWAGE AND INDUSTRIAL EFFLUENT

1. This product is only to be used in automatic feeding devices designed for wastewater sanitation. 2. Fill and adjust feeding device according to manufacturer's recommendations and monitor chlorine residual/coliform level as required by applicable regulatory agency.

3. On the average, satisfactory disinfection of wastewater effluent can be obtained when the chlorine residual is 0.5 ppm after 15 minutes contact. Although the chlorine residual is the critical factor in disinfection, the importance of correlating chlorine residual with bacteria kill must be emphasized.