

2022-1330
2022-05-13

**GREEN EARTH® BY WILSON®
BORDO
COPPER SPRAY**

Wettable Powder • Fungicide Spray

DOMESTIC

REG. NO. 17482 P.C.P ACT

ACTIVE INGREDIENT: Copper, present as basic copper sulfate 53.4%

WARNING



POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

200-500 g

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc.
1 avenue Premier, Rivière-du-Loup, QC G5R 6C1
1-800-268-2806

Controls anthracnose, blights, leaf spots, mildew and molds on fruits, vegetables and ornamentals.

DIRECTIONS FOR USE: Green Earth® by Wilson® BORDO Copper Spray is a wettable powder with improved suspension for control of certain plant diseases. Apply with hand or tank sprayer. Mix thoroughly with water (see chart – mix amount indicated in 1 L of water / applied over minimum 10 m² area). Agitate mixture while spraying. Thoroughly wet all foliage and stems. May apply up to 1 day before harvest. Avoid application when winds are gusty. May stain paint, stone or brick. DO NOT apply product in a way that will contact adults, children or pets, either directly or through drift. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT apply to any body of water.

Pre-harvest interval (PHI): up to 1 day before harvest.

5 mL (1 tsp.) weighs 3.33 g.

MSR: maximum single application rate (tsp. of product in 1 L of water / 10 m²)

MAI: minimum application interval (no. of days between applications)

MPY: maximum applications per year

Use site	Diseases Controlled	Specific Directions	MSR	MAI	MPY
Apple	Anthracnose	For copper sensitive varieties (eg. Mutsu, Crispin, Jonagold, etc.), add 6 g hydrated lime ¹ per L of bordo solution.	1	10	2 ²
Bean	Anthracnose, Bacterial Leaf Spot, Downy Mildew	Apply according to provincial spray calendar recommendations or on appearance of damage caused by disease.	1 ½	7	6
Beet	<i>Cercopora Leaf Spot</i>	Apply according to provincial spray calendar recommendations or on appearance of damage caused by disease.	1 1/8	7	6
Broccoli Cabbage Cauliflower	<i>Downy Mildew</i>	Spray on appearance of disease.	1 1/8	7	5
Carrot	<i>Cercospora Leaf Spot</i>	Apply according to provincial spray calendar recommendations or on appearance of damage caused by disease.	1 1/8	7	5
Celery	Early and Late Blight, Anthracnose, Leaf Mold, <i>Septoria Leaf Spot</i>	Apply when plants are 12 to 18 cm high.	1	5	5

Cucumber	Angular Leaf Spot, Anthracnose, Downy Mildew, Scab	Begin treatment when plants begin to vine.	1	7	5
Currant Gooseberry	Anthracnose, <i>Phyllosticta</i> and <i>Septoria</i> leaf spots, Powdery Mildew	Add 4 g hydrated lime ¹ per L of bordo solution. Spray just before blossoms open and again when most of the petals have fallen.	1 ¹ / ₃	10	4
Eggplant Pepper	Early and Late Blight, Anthracnose, Leaf Mold, <i>Septoria</i> Leaf Spot	Apply when plants are 12 to 18 cm high.	1 ¹ / ₈	3	10
Grape	Downy Mildew, Black Rot, Dead Arm	Add 6 g hydrated lime ¹ per L of bordo solution. Spray before blossoms open. Do not use on French hybrid or Vinifera varieties.	1 ¹ / ₂	3	7
Sour Cherries	Brown Rot Leaf Spot	Apply in all regular sprays except blossom spray. Add 4 g hydrated lime ¹ per L of bordo solution.	¹ / ₂	7	10
Melon Pumpkin Squash Watermelon	Angular Leaf Spot, Anthracnose, Downy Mildew, Scab	Begin treatment when plants begin to vine.	³ / ₄	5	5
Ornamentals Shrubs	Leaf spots, Black Spot, Powdery and Downy Mildew		¹ / ₄	7	10
Peach	Anthracnose, Coryneum Blight, Peach Leaf Curl, Shot Hole	Dormant spray, especially in late fall - never when trees are in leaf.	¹ / ₂	7	2
Potato	Early and Late Blight, Anthracnose, Leaf Mold, <i>Septoria</i> Leaf Spot	Apply when plants are 12 to 18 cm high.	1	5	10
Roses	Leaf spots, Black Spot, Powdery and Downy Mildew		1 ¹ / ₂	7	2
Spinach	Downy Mildew, White Rust	Apply according to local calendar recommendations or when damage from disease appears.	¹ / ₂	7	5
Strawberry	Leaf spot	Spray one month after planting.	1	7	5

Tomato	Early and Late Blight, Anthracnose, Leaf Mold, <i>Septoria</i> Leaf Spot	Apply when plants are 12 to 18 cm high.	1 ¼	3	10
--------	--	--	-----	---	----

¹ Available at building supply stores. (4 g = 1 ¾ tsp. 6 g = 2 ½ tsp.)

² Maximum of two applications per year (1st application after petal fall; 2nd immediately after harvest).

ENVIRONMENTAL HAZARDS: TOXIC to birds, small wild mammals, aquatic organisms and non-target terrestrial plants. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

PRECAUTIONS: Store in a cool, dry, ventilated place away from feed and food. May irritate eyes, nose, throat and skin, and discolour skin. Avoid contact with these areas and avoid breathing dust or spray mist. Do not contaminate any body of water. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. DO NOT allow adults, children or pets to enter the treated area until sprays have dried.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Dispose of empty container with household garbage.

For additional product information or in case of emergency, spill or fire, call toll-free 1-800-268-2806.
www.wilsoncontrol.com