### GARDEX

### COMMERCIAL

## D-Trans industrial insecticide 2-5/25

# READ THE LABEL BEFORE USING GUARANTEE:

D-Trans	Allethrin	 	0.25%
Piperon	yl Butoxide	 	2.5%

# REGISTRATION NO. 16814 PEST CONTROL PRODUCTS ACT

### DANGER POISON

NET CONTENTS 4 LITRES

# GARDEX CHEMICAL LTD.

7 Meridian Rd., Etobicoke, ON M9W 4Z6 (416)675-1638 1-800-561-7302

## DIRECTIONS FOR USE:

FOR USE in Food Processing Plants, Flour and Feed Mills, Bakeries, Canneries, Packing Houses, Bottling Plants, Breweries, Restaurants and wherever foodstuffs are handled.

For insects affecting flour, cereals, grain and stored food products - to kill the exposed stages of confused flour beetles, granary weevils, rice weevils, cadelles, saw-toothed grain beetles, flat grain beetles, Indian meal moth, and

mediterranean flour moth. Good sanitation is necessary. Thoroughly clean and remove all deposits and accumulations of food products, dirt and dust from ceilings, walls, floors of rooms, bins and other storage areas. Clean exterior and interior of all conveying and processing equipment, apply at the rate of 5 litres per  $100~\text{m}^2$ . As soon as surface is dry repeat application again. Repeat at monthly intervals thereafter.

For insects found in storage warehouses, food processing and handling establishments:

Treat as above except in cases where the rate of 5 litres per  $100~\text{m}^2$  causes excessive run off (such as glazed surfaces) apply at the rate of 2.5 litres per  $100~\text{m}^2$  of surface, repeat treatment as required.

To kill flies, mosquitoes and gnats for a space and contact spray:

Spray toward ceiling with room closed and fill with a mist. Use 150~ml - 250~ml per  $100~\text{m}^3$ . Leave closed for 10--15~minutes. For surface spray use at the rate of 5 litres per  $100~\text{m}^2$ . Repeat treatment as soon as first application is dry. Repeat at monthly intervals thereafter.

To kill cockroaches, silverfish, ants and fleas:

Use at the rate of 5 litres per 100 m<sup>2</sup>. As soon as surface is dry repeat treatment again. Direct spray as to contact as many insects as possible. Spray thoroughly all cracks and crevices and other hiding places, runways, nests and breeding places of these insects. Repeat treatments as often as necessary and at least once every month.

#### DISPOSAL:

- 1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the

provincial regulatory agency in case of a spill, and for clean-up of spills.

## PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN, AVOID SKIN CONTACT. Harmful if swallowed. Avoid inhaling of spray mist. Do not apply as a space spray when food processing plants are in operation. Clean food preparing surfaces after application and before use. Do not spray directly on exposed food or food products. Wash after using. In food processing plants and food service establishments, apply only when the plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

## NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product. \*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.