BUSAN® 90

LIQUID MICROBICIDE INDUSTRIAL READ THE LABEL BEFORE USING REGISTRATION NO.: 12002 PEST CONTROL PRODUCTS ACT

GUARANTEE:

2-Bromo-4'-hydroxyacetophenone 30% (by weight)

DANGER





POISON CORROSIVE TO EYES POTENTIAL SKIN SENSITIZER AND SEVERE IRRITANT

NET CONTENTS: 20 L, 110 L, 1200 L, Bulk

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic organisms. It is not to be used in circum stances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or ot her waters in contravention of federal or provincial regulatory requirem ents. The requirements of applicable laws should be determined before using the product.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Buckman Laboratories of Canada, Ltd.

351 Joseph-Carrier Street, Vaudreuil-Dorion, Québec J7V 5V5

24-HOUR EMERGENCY TELEPHONE NUMBER: 1-450-424-4404

DIRECTIONS FOR USE

Busan 90 is used to control bacterial and fungal slime in pulp and pa per mills. It is employed at a rate of 0.5 to 5 ppm of product during the period of treatment, based on the total weight of the fiber and water at maximum dilution. The addition is usually made for a period of 2-4 hours. When conditions favour unusually rapid slim e growth, the Busan 90 addition can be made once each 8 hr. or once each 12 hr. Under average conditions of slime growth, addition is m ade once each 24 hr. The addition shou ld be made at a location where good mixing and agitation will ensure uniform distribution of Busan 90 in the mass of fiber and water.

Note: This product is not to be used in the production of paper and paperboard that comes in contact with food. Not for use in potable water.

PRECAUTIONS

DANGER KEEP OUT OF REACH OF CHILDREN

Potential skin sensitizer. Hazardous if swallowed. Wear chemical resistant gloves, a full-face NIOSH/MSHA approved organic vapour removing cartridge respirator, long pants, a long-sleeved shirt and shoes during m ixing/loading, cleanup, repair and other handling activities. When handlers use clos ed metering systems the handler requirements can be reduced to a long-sleeved shirt, long pants and shoes. Contact of the product with clothing or skin and inhalation of vapour or mist should be avoided. Wear respirator wherever there is a possibility of vapour, fumes or dust from this product or when the material is used in a confined space. Wash thoroughly after handling. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove personal protective equipment immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Keep the container closed when not in use

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Eye exposure: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Skin or clothing exposure: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Ingestion: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Avoid giving alcohol or alcohol related products. Note to physician: Probable m ucosal damage following ingestion may contraindicate gastric lavage.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable con tainer, and is to be disposed of at a container collection site. C ontact your local distributor/dealer or municipality for the location of the neares t collection site. Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.