Safer's

De-Moss MOSS KILLER Herbicide

For Structural Surfaces, Walkways and Lawns

ROOFS WALKWAYS LAWNS Kills moss quickly and effectively

GUARANTEE: Potassium salt of fatty acids..... 40% REG. NO. 18418 P.C.P. ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

NET CONTENTS 1 L

CONCENTRATE DOMESTIC

Woodstream Canada Corporation, Unit 1, 25 Bramtree Court, Brampton ON L6S 6G2 Tel: (800) 800-1819

## STRUCTURAL SURFACES - DIRECTIONS FOR USE:

Mix 1 part concentrate to 20 parts of water or 50 mL concentrate per 1L of water. Spray on overgrown surfaces, wetting thoroughly. Suggested dosage: up to 550 mL spray solution per square metre surface. For best results avoid applying during rain or snow. Repeat treatments annually, or at onset of moss recolonization. Moss sprayed during the growing season should discolour within days of application. Growth sprayed during dormant (cold) season may

discolour over a longer period.

## LAWNS - DIRECTIONS FOR USE:

Mixing: For tank sprayers mix 1 part concentrate to 32 parts water or 32 mL of concentrate per 1L of water. For hose-end sprayers such as Continental's 575, use a No. 10 setting to deliver approx. 32 mL per litre. Wet moss and grass before spraying. Spray infected areas thoroughly with spray solution at approx. 1 litre per square metre. Avoid overlapping spray to eliminate risk of grass damage. Water treated area ½ hour after spray application. Dead moss will turn colour after about 1 week and should be raked out. Any spots of living moss found after 4 weeks may be treated again.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN: Causes eye irritation. Avoid eye contact. May cause skin irritation. Do not apply to foliage of plants, trees or shrubs. Treated areas may be temporarily slippery. Do not contaminate productive bodies of water. De-Moss may cause white residue when used on brick and some types of concrete. When applying to these types of surfaces, treat a small area first to observe if s

occurs. Residue will wear off in a few weeks.

DISPOSAL: Do not reuse empty container. Wrap and dipose of empty container in household garbage.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If concentrate gets on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.