

2011-0663
2011-09-16

X-CIDE[®] 207

Industrial Microbiocide Wettable Granules

FOR USE IN INDUSTRIAL PROCESSES ONLY.

**NOT FOR DOMESTIC USE.
READ THE LABEL BEFORE USING**

GUARANTEE:

5-Chloro-2-methyl-4-isothiazolin-3-one	5.25%
2-Methyl-4-isothiazolin-3-one	1.75%

DANGER

**POISON
CORROSIVE
POTENTIAL SKIN SENSITIZER**

**BAKER HUGHES CANADA COMPANY
GULF CANADA SQUARE 1000-401 9TH AVE. SW
CALGARY AB T2P 3C5**

EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606

REGISTRATION NO. 19368
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 2.72 Kg

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DANGER: Corrosive. Harmful or fatal if swallowed. Potential skin sensitizer. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapours and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse.

Wear long pants, a long sleeved shirt, chemical resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up, and repair.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not contaminate water by cleaning of equipment or disposal of waters.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL

1. Triple or pressure-rinse the emptied container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

The following is a summary of dosage and feeding recommendations for each use of **X-CIDE 207 Industrial Microbiocide**.

OILFIELD WATERS: **X-CIDE 207 Industrial Microbiocide** is used for the control of slime forming bacteria and sulfate reducing bacteria in oilfield waters.

Treatment: Slug treat with 15-75 mg/L **X-CIDE 207 Industrial Microbiocide** depending on the severity of contamination. **X-CIDE 207 Industrial Microbiocide** can be used in stagnant areas such as storage tanks, sumps and pits. Add 35-75 mg/L **X-CIDE 207 Industrial Microbiocide**(35-75 g **X-CIDE 207 Industrial Microbiocide** per 1,000 liters of water) at a point in the system where it will be uniformly mixed. Repeat treatment after three days or as needed until control is achieved.

DRILLING MUDS AND WORKOVER OR COMPLETION FLUIDS: **X-CIDE 207 Industrial Microbiocide** is effective in controlling fungi in water based drilling muds.

Treatment: **X-CIDE 207 Industrial Microbiocide** should be added at 25-500 mg/L through the mud hopper or at the pump suction. A typical 50 mg/L treatment is 50 g per 1,000 liters into the drilling mud recirculating system.

WELL STIMULATION AND FRACTURING: **X-CIDE 207 Industrial Microbiocide** is effective in controlling fungi and bacteria in guar gum based fracturing fluid systems.

Treatment: **X-CIDE 207 Industrial Microbiocide** should be added to the storage tanks at 25-500 mg/L and circulated. For example, a 50 mg/L treatment is 50 g per 1,000 liters fracturing tank.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.