

CARTON

**WILSON®
BUG-X® OUT™
INSECTICIDE-MITICIDE
WITH 50% MALATHION**

KILLS MANY INSECTS

DOMESTIC

REG. NO. 9802 P.C.P. ACT

ACTIVE INGREDIENT: Malathion 50%

DANGER



POISON

READ THE LABEL AND CARTON BEFORE USING
KEEP OUT OF REACH OF CHILDREN

100 mL - 500 mL

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc.,
1 avenue Premier, Rivière-du-Loup, QC G5R 6C1
1-800-268-2806

**This product is not to be sold or applied after the expiry date.
SEE SIDE PANEL FOR EXPIRY DATE.**

Expiry Date: yyyy-mm-dd

Lot # XXXXX

DIRECTIONS FOR USE: For outdoor use only.

VEGETABLES, FRUITS, FLOWERS AND ORNAMENTALS: To control aphids, bagworm, beetles, budmoth, cabbage worm, caterpillars, codling moth, currant fruitworm, fruit moth, lace bug, leafhopper, leafminer, leafroller, mealybug, mites, pine shoot moth, pear psylla, plant bug, plum curculio, raspberry fruitworm, tent caterpillars, whitefly. Mix 10 mL (2 teaspoonfuls) in 3 L of water and spray to wet all surfaces of foliage. Apply at first appearance of insects. Repeat application as required or at 7 day intervals. Do not apply within seven days of harvest of edible crops. Leaf lettuce within fourteen days. For spruce budworm apply at 20 mL (4 teaspoonfuls) in 3 L of water as soon as larvae appear. Injury may occur to African violet, crassula, fern, petunia, Sabina and Canaerti juniper, red maple, McIntosh and Cortland apples, Bosc and Bartlett pears, and Ribier grapes.

CLOVER MITES, ANTS AND MILLIPEDES: TREATMENT OF OUTDOOR STRUCTURAL FOUNDATIONS ONLY and 1 m wide path surrounding the foundation. Mix 60 mL (4 tablespoonfuls) in 1 litre of water and spray exterior walls and around buildings.

MOSQUITOES: Mix 20 mL (4 teaspoonfuls) in 3 L of water and spray on 40 m² of shrubs. Avoid application of this product when winds are gusty. **DO NOT** apply to any body of water. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes. Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

ENVIRONMENTAL HAZARDS: TOXIC to birds and aquatic organisms. Highly toxic to fish and bees. Spray flowers in late evening. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Do not contaminate ponds, streams or other aquatic systems through direct application, disposal of waste or cleaning equipment.

FIRST AID: DANGER. This product contains petroleum distillates. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison centre at once. Atropine and 2-PAM are antidotal.

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Keep in original container during storage. Isomalathion, a toxic metabolite of malathion forms when malathion product is stored at elevated temperatures or for extended periods of time. Malathion product must be stored in a cool (< 23°C), dry, well ventilated place away from seed, fertilizer or other pesticides. Do not use after the expiry date.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsoncontrol.com

BOTTLE

WILSON®
BUG-X® OUT™INSECTICIDE-MITICIDE
WITH 50% MALATHION

KILLS MANY INSECTS

DOMESTIC

REG. NO. 9802 P.C.P. ACT

ACTIVE INGREDIENT: Malathion 50%

DANGER



POISON

READ THE LABEL AND CARTON BEFORE USING
KEEP OUT OF REACH OF CHILDREN

100 mL - 500 mL

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc.,
1 avenue Premier, Rivière-du-Loup, QC G5R 6C1
1-800-268-2806

Expiry Date: yyyy-mm-dd

Lot # XXXXX

This product is not to be sold or applied after the expiry date above.

REFER TO AND RETAIN CARTON FOR USE DIRECTIONS.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes. Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

FIRST AID: DANGER. This product contains petroleum distillates. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison centre at once. Atropine and 2-PAM are antidotal.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container in household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsoncontrol.com