

MICROBIOCIDAL AGENT

SPECTRUM® RX6202

INDUSTRIAL
DANGER



CORROSIVE POISON

POTENTIAL SKIN SENSITIZER
READ THE LABEL BEFORE USING

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one.....2.2%
2-Methyl-4-isothiazolin-3-one.....0.7%

REGISTRATION NO. 17235
PEST CONTROL PRODUCTS ACT
NET CONTENTS: 0.05L – 20,000L

Solenis Canada ULC
942 Brant Street
Burlington, ON L7R 2J7
Telephone: 1-905-632-7861
Emergency Telephone: 1-844-SOLENIS (1-844-765-3647)

FOR INDUSTRIAL USE ONLY: Technical advice regarding specific site problems is available from Solenis Canada ULC.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

PRECAUTIONS :

KEEP OUT OF REACH OF CHILDREN.

DANGER. POTENTIAL SKIN SENSITIZER. CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapours and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse. Wear long pants, a long sleeved shirt, chemical-resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up, and repair. Do not take internally. DO NOT USE IN POTABLE WATER. Do not contaminate water, food or feed by storage or disposal.

FIRST AID :

In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. In case of inhalation, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by

mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. In case of ingestion, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION : Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS : Open dumping is prohibited. If plastic, do not reuse empty container. This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE : KEEP FROM FREEZING

DISPOSAL :

Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.

Make the empty container unsuitable for further use.

Dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill or for clean-up of spills.

DIRECTIONS FOR USE :

This product should be slug fed at a level of 0.11 to 0.41 kg per tonne of dry paper produced. Slug feeding should be done at least once per day. Your representative will recommend points of application.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.