

15-JAN-2008 2007-6215

(#19280 throw bag 125g in the boxe)

Superior inc.

NET CONTENTS 125g / throw bag

DOMESTIC

RATOL SUPARAFINE

PARAFFINIZED PELLETS
RODENTICIDE

FOR THE CONTROL OF: HOUSE MICE, ROOF RATS AND NORWAY RATS

READ THE LABEL AND CARTON BOX INFORMATION BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC PETS

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Rubber gloves must be worn when handling product and disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hand before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminate clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

FIRST AID: If swallowed: call a poison control centre immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

TOXICOLOGICAL INFORMATION: If swallowed or absorbed this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K₁ in the form of intramuscular, subcutaneous infections or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

GUARANTEE :

Chlorophacinone ... 0,005%

REGISTRATION NO. 19280

PEST CONTROL PRODUCT ACT

WARNING: Contains the allergens of, peanuts (shells), soya and wheat

Superior Control Products inc
3715, La Fayette est, Boisbriand, Québec,
Canada, J7H 1S4, (450)434-5598

(#19280 FRONT PANEL)

Superior Inc

500g

4 X 125g throws packs

REGISTRATION NUMBER 19280
PEST CONTROL PRODUCTS ACT
GUARANTEE: Chlorophacinone 0,005%

DOMESTIC

RATOL

SUPARAFINE

RODENTICIDE
(PARAFFINIZED PELLETS)

WARNING: Contains the allergens peanuts (shells), soya and wheat

FOR THE CONTROL OF
NORWAY RATS,
ROOF RAT
AND HOUSE MICE.

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF
CHILDREN AND DOMESTIC PETS

Superior inc. Control Products inc.
3715, La Fayette (E), Boisbriand, Québec, Canada, (450) 434-5598

RATOL

(#19280 side panel)

DIRECTIONS FOR USE :

FOR THE CONTROL OF NORWAY RAT (*Rattus norvegicus*), **ROOF RAT** (*Rattus rattus*) **AND HOUSE MOUSE** (*Mus musculus*).

Place baits, without opening the pack, in areas visited by rats such as tunnels, paths and where they usually eat. For **NORWAY RATS, ROOF RATS** : Use 1 to 5 Ratol Suparafine bags per placement. For **HOUSE MICE** : Place in small piles of 15 to 50 g at distances of 2 to 3 meters. Replace any stale or moldy baits with new baits every 15 days. Maintain bait supply until all signs of feeding cease.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Rubber gloves must be worn when handling product and disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hand before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

USE LIMITATIONS: Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

FIRST AID: If swallowed: call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

TOXICOLOGICAL INFORMATION: If swallowed or absorbed this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K₁ in the form of intramuscular, subcutaneous injections or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL : Do not reuse empty container. Dispose of empty container by placing in household garbage.

RODENT DISPOSAL : Dispose of dead rodents in garbage or by burying.

NOTICE TO USER : This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.