

2023-2613
2024-03-07

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "02/03/2025" in accordance with the phase out period set out in RVD2023-06. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2613
2024-03-07

Safer's®
ENTIRE
Flea & Tick Spray

Solution
DOMESTIC

FOR USE ONLY ON DOGS

Kills dog fleas, cat fleas, brown dog ticks and American dog ticks.

DO NOT USE ON PUPPIES LESS THAN 8 WEEKS OLD

DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL

ACTIVE INGREDIENTS:

Potassium salts of fatty acids.....1.0%

Pyrethrins. 0.01%

REG. NO. 23047 P.C.P. ACT

READ THE LABEL BEFORE USING

NET CONTENTS 1 L

READY TO USE

Woodstream Canada Corporation Unit 1
25 Bramtree Court Brampton, ON L6S 6G2 1-800-800-1819

2023-2613
2024-03-07

DIRECTIONS FOR USE:

DISCONTINUE USE IF ADVERSE EFFECTS ARE OBSERVED.

SHAKE WELL BEFORE USING. Nozzle is closed when purchased. Turn spray nozzle to "Open" position to use.

FOR USE ONLY ON DOGS:

To control dog fleas, cat fleas, brown dog ticks and American dog ticks: Shake container well before using. Hold the container in an upright position from a distance of 30-40 cm (12-18 inches) from the dog. Spray the entire body of the dog, beginning at the tail and working towards the head. Ticks are difficult to control and must be sprayed directly. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. **DO NOT** apply to dog face, eyes, nose, mouth or genitals. As you spray, use hands to fluff the fur of the dog so that spray will penetrate to the skin. Only spray until fur is damp – not wet. Wipe off any excess product from the dog with a dry cloth and then comb or brush. For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, a premise treatment with an insecticide labelled for that use may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

USE LIMITATIONS:

- **DO NOT** use on puppies less than 8 weeks old. **DO NOT** use on dogs or puppies weighing less than 0.2268 kg.
- **DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL.**
- Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment
- Use **ONLY** in a well-ventilated area, preferably outdoors
- This product contains Pyrethrins and Potassium salts of fatty acids. **DO NOT** apply another pest control product such as a shampoo, spot on, collar or powder which contains Pyrethrins or Potassium salts of fatty acids to the treated animal when using Safer's® ENTIRE Flea & Tick Spray
- **DO NOT** use this spray more than once every 7 days. Treatment must only be repeated if pest problem persists or reoccurs.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Product can cause eye irritation. Avoid contact with eyes.

PETS:

Side Effects:

Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or Woodstream Canada Corporation at 1-800-387-6678.

2023-2613
2024-03-07

STORAGE:

Store this product away from food or feed.

DISPOSAL: DO NOT reuse empty container. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites

FIRST AID:

HUMANS: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.