

TECHNICAL WATER SOLUBLE DIPHACINONE

DUST
FOR MANUFACTURING, FORMULATING OR
REPACKAGING USE ONLY

REGISTRATION No.: **19844** PEST CONTROL PRODUCTS ACT

DANGER



POISON

GUARANTEE:

Sodium Salt of Diphacinone.....100.0%

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 50 kg

Manufactured by: Bell Laboratories, Inc., 3699 Kinsman Blvd., Madison, WI 53704 USA
Ph.: 608-241-0202

DIRECTIONS FOR USE: To be used only in the manufacture of a rodenticide which is registered under the *Pest Control Products Act*.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND
AND PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.** If ingested by humans or animals, it may reduce the clotting ability of the blood and cause internal bleeding. Do not contaminate food or feed. Keep away from feed and food stuffs. Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams, and ponds. Avoid contact with eyes, skin or clothing and inhalation of powder. Wash arms, hands and face with soap and water after handling and before eating or smoking.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE: Keep in original container during storage. Store product in cool, dry, well ventilated place away from seed, feed, fertilizer, or other pesticides. Keep away from fire or open flame, or other source of heat.

DECONTAMINATION AND DISPOSAL: Canadian manufacturers using this product should dispose of unwanted active and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills contact the Provincial Regulatory Agency or the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.