

2019-0446
2019-06-19

HORNET & WASP KILLER II

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl bicycloheptene dicarboximide	0.167%
Propoxur	0.500%

REGISTRATION NO. 20015 PEST CONTROL PRODUCTS ACT

NET CONTENT _____ GRAMS

READ THE LABEL BEFORE USING



EXPLOSIVE

Mega-Lab Manufacturing Co. Ltd.
3-25 Planchet Road
Concord, Ontario
L4K 2C5

DIRECTIONS: - For the control of wasps, bees, hornets, and yellow jackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 to 2.5 metres. To prevent insects from falling on skin and clothes, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

RESTRICTIONS: - Do not use in indoor residential areas. Indoor residential areas are defined as any indoor use site where bystanders including children could be exposed during or after application. This includes homes, hospitals, schools, public buildings, day care facilities, motels, hotels, passenger areas of trains, buses or airplanes, and other indoor locations where the general public including children may be exposed. Outdoor application is limited to crack and crevice, structural and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

PRECAUTIONS: - KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not contaminate food, utensils, food preparation areas. Toxic to bees, fish and wildlife. Remove animals before spraying. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50 degrees C as container may burst. Do not puncture or incinerate container.

FIRST AID: - If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: - Propoxur is a carbamate which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

DISPOSAL: - When container is empty, press valve to release all remaining pressure. Do not throw into fire. Dispose of empty container in accordance with provincial requirements. For information on disposal

2019-0446

2019-06-19

of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: - This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.