

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.infoarla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

K-G HI-PRESSURE FUMIGATOR

For indoor use at residential, commercial, industrial and institutional structures as a total release fogger to kill Flies, Mosquitoes, Wasps, Cockroaches, Ants, Fleas, Ticks, Crickets, Spiders, Silverfish

DO NOT apply in dwellings or in for food/feed storage, handling or service establishments

For use on outdoor ornamental plants as a manual sprayer to kill Thrips, Leafhoppers, Spotted mites, Lace bugs, Aphids, Whiteflies, Climbing cutworms, Japanese beetles, Flea beetles, Armyworms

DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs)

PRESSURIZED SPRAY COMMERCIAL

lock valve down for <u>CONTINUOUS SPRAYING</u> or depress valve down for <u>MANUAL SPRAYING</u>

ACTIVE INGREDIENTS: Pyrethrns.....0.40% Piperonyl Butoxide.....2.00%

REGISTRATION NO. 18840 PEST CONTROL PRODUCTS ACT

NET CONTENTS 50-400 g

DANGER



EXTREMELY FLAMMABLE

EXPLOSIVE

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

PLZ CORP. 8001 Keele Street Vaughan, Ontario L4K 1Y8 905 669-9855

(RECYCLING LOGO) (NO CFC LOGO) (ALL ANGLE SPRAY SYMBOL) **NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID:

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. **DO NOT induce** vomiting unless told to do so by a poison control centre or doctor. **DO NOT give any** liquid to the person. **DO NOT** give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. "

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: CONTAINS PETROLEUM DISTILLATE. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DIRECTIONS: This product can be used <u>manually</u> or valve can be locked in open position for <u>total release</u>. This formulation will kill exposed insects only and has no residual control activity. Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible when used as a manual sprayer. Treatment must only be repeated after 2 weeks if pest problem persists or reoccurs, unless otherwise stated on this label. When applied indoors, good sanitary practices should be maintained to prevent re-infestation. DO NOT spray near or over furniture, plastic, painted or varnished surfaces. Remove pets, bi rds and fish bowls. Open cabinets and doors to areas to be treated. Shut off fans and air con ditioners. **Put out all flames a nd pilot lights**. Equipment or furniture should be covered. Close doors and windows. Point valve opening away from face and eyes when releasing.

FOR INDOOR USE AT RESIDENTIAL, COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL STRUCTURES

USE LIMITATIONS

- **DO NOT** apply in dwellings or in food/feed storage, handling or service establishments.
- **DO NOT** apply in confined spaces (e.g., attics, crawlspaces, small storage rooms, closets). Use of a fogger in a confined space may cause the product to explode, resulting in injury or damage to property.
- **DO NOT** use more than one can per room or structure to be treated.
- **DO NOT** apply when people or pets are present.
- When applied manually as a crack and crevice treatment prior to fogging: **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- DO NOT remain in treated areas after valve has been locked in open position for total release.
- Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used.
- **DO NOT** allow people or pets to enter treated areas until 2 hours after application. The commercial applicator is responsible for informing workers and others of this requirement.

How to Apply

Prior to fogging, this product may be applied manually as a space spray and crack and crevice treatment only. **DO NOT** APPLY AS A BROADCAST, PERIMETER OR SPOT TREATMENT. <u>Space application</u> is a suspension of fine droplets in the air within an indoor space. <u>Crack and crevice</u> is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Treatment must only be repeated after 2 weeks if pest problem persists or reoccurs.

TO OPERATE VALVE: Depress valve down for MANUAL SPRAYING or lock valve down for TOTAL RELEASE FOGGING. To lock valve in open position for total release, depress valve lever down firmly until it clicks and stays depressed.

[Application Rates:]

Net Contents	Label Statement	1 can treats
50 grams	Spray 15-20 seconds for every 37.5 m ³	37.5 m ³ (1324.2 ft ³)
70 grams	Spray 15-20 seconds for every 52.5 m ³	52.5 m ³ (1854.0 ft ³)
150 grams	Spray 15-20 seconds for every 112.5 m ³	112.5 m ³ (3972.9 ft ³)
400 grams	Spray 15-20 seconds for every 300 m ³	300 m ³ 10,594.3 ft ³)

FOR USE ON OUTDOOR ORNAMENTAL PLANTS USE LIMITATIONS

- DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs).
- As this product is not registered for the control of pests in aquatic systems, **DO NOT** use to control aquatic pests.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

FOR USE AS A MANUAL SPRAYER ONLY to kill sucking insects: Thrips, Leafhoppers, Spotted mites, Lace bugs, Aphids, Whiteflies and chewing insects: Climbing cutworms, Japanese beetles, Flea beetles and Armywarms for ornamental plants such as Asters, Azaleas, begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Iriæs, marigolds, Petunias, Roses and Snapdragon, Evergreens, Small ornamental deciduous trees, Shrubs and Vines. When listed pests are a problem, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. **DO NOT** wet plants to the point of runoff or drip. When spraying, hold can 45 cm from plants to avoid wetting the foliage. **DO NOT** exceed 3 g of K-G HI-PRESSURE FUMIGATOR per m² (2.4 seconds/m²). Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Apply in early morning or evening – not in direct sunlight. Spray only when air is still and temperature is below 32°C. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. **DO NOT use** in presence of open flame or spark. CONTENTS UNDER PRESSURE. Container may explode if heated. **DO NOT** expose to temperature above 50°C (122°F). Do not puncture or incinerate. Harmful if swallowed. A void breathing of vap or. Avoid contact with skin or eyes. **DO NOT** remain in treated areas. Foo d should be rem oved or c overed during treatment. All food proce ssing surfaces should be covered during tr eatment or thoroughly cleaned before use. **DO NOT**spray on plastic, painted or varnished surfaces or directly into el ectronic equipment such as radios, TVs, computers, etc.,

Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during application, cleanup and repair. If entering treated areas prior to venting or before 2 hour re-entry interval, wear chemicalresistant coveralls with a chemical-resistant hood over long-sleeved shirt, long pants, chemical-resistant gloves, socks, chemical-resistant footwear and a respirator with a NIOSH-approved organic-vapourremoving cartridge with a prefilter approved for pesticides OR a NIOSH-approved canister approved for pesticides.

ENVIRONMENTAL PRECAUTIONS

This product contains active ingredients and aromatic petroleum distillates, which are toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial

arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

STORAGE: Keep product in cool and dry place, away from open flames and heat sources. Store this product away from food or feed.

DISPOSAL

When container is empty, press the valve to release all remaining pressure, then dispose of the empty container in accordance with provincial requirements. **DO NOT** puncture or incinerate.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for information on the clean-up of spills.

Or

When container is empty, press the valve to release all remaining pressure, then dispose of the empty container in accordance with provincial requirements. **DO NOT** puncture or incinerate.

This container may be recycled in communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by following the procedure described above.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for information on the clean-up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.