

2008-0167  
29-FEB-2008

UNITED VAN LINES

COMMERCIAL

Sanitized(R)

VAN INTERIOR TOTAL RELEASE PRESSURIZED  
INSECTICIDE SPRAY

GUARANTEE:

Pyrethrins.....	0.50%
Piperonyl Butoxide.....	1.00%
N-Octyl Bicycloheptene Dicarboximide.....	1.67%

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

REGISTRATION NO. 20231 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET WT. 150 g

Sanitized(R) is the registered trademark in Canada of

Sanitized Inc.  
57 Litchfield Rd.  
New Preston, CT 06777

Sanitized treatment will kill on contact exposed stages of insects including flies, wasps, mosquitoes, fleas, cockroaches and silverfish.

**DIRECTIONS FOR USE:** Close all doors and windows. Place unit in upright position on floor of empty van. Point valve away from eyes. Depress valve and lock in open position. Exit from van. Note:

Posting the van is a requirement for this use. Keep doors, etc. shut for 30 minutes. Ventilate the area by opening doors, etc. Re-entry into treated area can occur after 4 hours of aeration. Total release of chemical will occur within 2 minutes. Use 2 sanitized units in vans over 50 m<sup>3</sup>.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Do not swallow or inhale. Avoid contact with skin and eyes. Wash after using. Toxic to fish. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves, or other sources of heat. Do not store above 50°C. Do not puncture or incinerate can. Do not use in presence of open flame or spark. To prevent possible exposure to the operator upon opening the valve at the start of the treatment or when the van needs to be entered, a cartridge respirator and eye protection need to be worn.

In Canada, United Van Lines has the exclusive rights to "Sanitized" for treating moving vans. It is important, therefore, that it be used properly and regularly.

**FIRST AID TREATMENT:**

IF SWALLOWED, Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically

**DISPOSAL:** Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.