

2011-5913
2011-12-08

BUGCON DUAL ACTION
PRESSURIZED CONTACT AND RESIDUAL SPRAY WITH PROPOXUR AND
PYRETHRINS.

Kills spiders, sowbugs, earwigs, cockroaches, crickets,
millipedes, silverfish, ants, hornets, wasps, bees, fleas, ticks,
carpet beetles, American and brown dog ticks.

Net contents 285g
REG. NO. 20737 P.C.P. ACT
DOMESTIC
GUARANTEE: PYRETHRINS 0.05%,
PIPERONYL BUTOXYDE : 0.1%,
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE 0.166%
PROPOXUR 0.5%.

This product contains Propoxur at 0.5%, which requires further toxicological testing.
Ce produit contient le produit de formulation toxique Propoxur B à raison de 0.5% pour
lequel on requiert des tests toxicologiques additionnels.

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

DANGER
EXTREMELY FLAMMABLE
EXPLOSIVE

Alberta Aerosol-Gillex.
1571 Sandhurst Cr.
P.O. Box 63529 Woodside Sq. Mall,
Agincourt. On. M1V 1V0. (AAG-2)
Web:www.bugcon.com, e-mail glx@bugcon.com

DIRECTION FOR USE: For use as crack and crevice treatment or spot treatment to
control insects mentioned on the front panel. Shake well before use. Hold container

approximately 30cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. If reinfestation occurs, repeat applications as necessary. Provide adequate ventilation after indoor use.

KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

INDOOR USE: Thoroughly treat cracks, crevices, baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings and other places where insects are seen. For ticks and fleas, treat sleeping quarters of pets and floor coverings (rugs and carpets). Remove pets and animals before spraying and keep them away from sprayed areas until dry. Replace bedding in animals' quarters after treatment. Do not treat animals. Do not treat pets with this product. For effective flea and tick control, pets should be treated with a registered flea and tick control product designed for use on pets such as Bugcon Fly Flea Free. (N.B. this product is not for use on pets), and treatment of the pet must be combined with the cleanup and sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's living quarters, and surrounding areas prior to treatment with this product. Do not use in areas where food is prepared, handled or stored.

OUTDOOR USE: Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter. Wasp and hornet nests: Releases a fine spray that allows treatment of nests from one meter away. Treat at night or late evening when insects are inside the nest. Apply spray with 2-3 seconds bursts directly into the nest opening so that the liquid contacts the inside of the nest. If unable to spray directly into the nest, a heavy residual spray around and into the opening where insects gain entrance will eventually eliminate the pests. Repeat as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. EXTREMELY FLAMMABLE. Contents under pressure. Avoid contact with eyes, skin or clothing. Do not puncture or incinerate. Do not expose to temperatures over 50°C. Do not use near open flame or spark. Do not smoke while using. Do not spray towards eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and use with adequate ventilation. Do not use as a space spray. Remove pets and cover fish bowls before spraying.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Propoxur is a mild cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: When container is empty, press button to release all pressure, then wrap and dispose in household garbage. Do not puncture or incinerate.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.