

11-JUL-2011

2011-1522

PoolSport ALGAECIDE

CONTROLS ALGAE IN SWIMMING POOL WATER
SOLUTION

NET CONTENTS 4 L

DOMESTIC

REG. NO. 20042 P.C.P. ACT

GUARANTEE:

n-Alkyl (40%C¹², 50%C¹⁴, 10%C¹⁶) Dimethyl
Benzyl Ammonium Chloride 5%

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

POOLSPORT INC.

P.O. BOX #1430

STATION B, WESTON,

ONTARIO M9L 2W9

1-800-263-9880

PRECAUTIONS

1. KEEP OUT OF REACH OF CHILDREN.
2. Harmful if swallowed.
3. Do not mix with any other chemical.
4. Avoid contact with skin and eyes.
5. Wear rubber gloves when handling this concentrate.

DISPOSAL:

Rinse container thoroughly before recycling. Do not re-use container with household garbage.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15- 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DIRECTIONS FOR USE

1. Initial dosage for pool water having no visible algae is 400 mL of PoolSport ALGAECIDE per 10,000 litres of pool water.
2. Weekly maintenance dosage is 200 mL of PoolSport ALGAECIDE per 10,000 Litres of pool water.
3. For pool water having visible algae, superchlorinate and wait for at least 24 hours before adding weekly maintenance dosage.
4. For visible algae, when superchlorination is not employed, add 1 Litre of PoolSport ALGAECIDE per 10,000 Litres of pool water.
5. DO NOT apply when swimmers are in the immediate vicinity (a 15-minute restricted-entry interval is recommended).

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.