# POD-SP50 LIQUID ALGAECIDE

## **DOMESTIC**

#### READ THE LABEL BEFORE USING

# REGISTRATION NO.: 20932 PEST CONTROL PRODUCTS ACT

## **GUARANTEE:**

Poly[oxyethylene(dimethyliminio)ethylene-(dimethyliminio)ethylene dichloride] ............ 50%

# **CAUTION**

## **POISON**

Net Contents:

**ENVIRONMENTAL HAZARDS:** Toxic to aquatic organisms.

KEEP OUT OF REACH OF CHILDREN

**Buckman Laboratories of Canada, Ltd.** 

351 Joseph-Carrier Street Vaudreuil-Dorion, Quebec J7V 5V5 1-450-424-4404

24 HOUR EMERGENCY TELEPHONE NUMBER: 1-450-424-4404

#### CONTROLS ALGAE IN SWIMMING POOL WATERS

#### **Directions for Use:**

- 1. Initial dosage for pool water having no visible algae is 80 mL of POD-SP50 LIQUID ALGAECIDE per 10,000 liters of pool water.
- 2. Weekly maintenance dosage is 30 mL of POD-SP50 LIQUID ALGAECIDE per 10,000 liters of pool water.
- 3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae growth, when superchlorination product is not employed, add 120 mL of POD-SP50 LIQUID ALGAECIDE per 10,000 liters of pool water.

## **PRECAUTION**

# DANGER KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Rinse container thoroughly before discarding. Do not reuse.

#### FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

## **TOXICOLOGICAL INFORMATION:** Treat symptomatically.

#### **DISPOSAL**

Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.