

Bayer Environmental Science

SEVIN BRAND 97.5%

MANUFACTURING CONCENTRATE

CARBARYL INSECTICIDE

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING ONLY

GUARANTEE: CARBARYL (1-NAPHTHYL N-METHYLCARBAMATE) 97.5%

REGISTRATION NUMBER 19351 PEST CONTROL PRODUCTS ACT.

KEEP OUT OF REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL



READ THE LABEL BEFORE USING

Bayer CropScience Inc.*

Suite 100, 3131 114 Ave SE Calgary, AB T2Z 3X2 Phone: 1-888-238-6747

*Bayer Environmental Science

A Division of Bayer CropScience

GROUP 1A INSECTICIDE

IN CASE OF SPILLS, POISONING OR FIRE, TELEPHONE EMERGENCY RESPONSE NUMBER 1-888-AVENTIS (283-6847) (24 HOURS A DAY)

NET CONTENTS: 22 kg



and SEVINTM are registered trademarks of the Bayer AG.

DIRECTIONS FOR USE:

To be used only in the manufacture of a product which is registered under the Pest Control Products Act.

PRECAUTIONS:

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL. WARNING: HAZARD TO HUMANS AND DOMESTIC ANIMALS

MAY BE FATAL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

FIRST AID:

Contact a physician or Poison Control Centre IMMEDIATELY in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION:

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intra-muscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

To aid in the confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Bayer CropScience Inc.

ENVIRONMENTAL HAZARDS:

This product is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters.

STORAGE:

Store unused product in original container only, in cool, dry, well-ventilated area away from seed, feed, fertilizer or other pesticides and out of reach of children and animals. Do not store in areas where temperatures frequently exceed 38°C. Keep away from fire or open flame or other sources of heat.

DISPOSAL:

Canadian users of this manufacturing concentrate should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.