# **K-G Crawling Insect Killer IIB**

## PRESSURIZED CONTACT & RESIDUAL CRACK, CREVICE & SURFACE INSECTICIDE SPRAY

## **DOMESTIC**

<u>Kills</u> Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Silverfish, Ants, Fleas, Carpet Beetles, Brown Dog Ticks

### **GUARANTEE**:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl Bicycloheptene Dicarboximide	0.166%
Propoxur	0.500%

REG. NO. 19598 P.C.P. ACT

NET CONTENTS: 150-550 g

### **DANGER**





EXTREMELY FLAMMABLE

DE LICINO

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

K-G URTC[ /RCMINC. 8001 Keele Street Xcwi j cp, Ontario L4K 1[ : ""Vgnz"; 27/88; /; : 77 For use as a residual spot or crack and crevice treatment to control insects listed on front panel.

**INDOOR USE:** Thoroughly treat cracks and crevices and spots along baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings and other places where insects habitate. For ants, spray trails and places where ants enter premises such as window and door sills.

**OUTDOOR USE:** Spot Treatment: Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter. For ants, spray hills and runways.

**DIRECTIONS:** Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vapourize into cracks and crevices for insect control. If reinfestations occur, repeat applications as necessary. Provide adequate ventilation after indoor use. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. In dwellings, remove or cover exposed foods, cooking utensils and food preparation surfaces to avoid contamination. Not to be used in food storage, handling or packaging areas. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50°C. Do not spray near open flame or spark, or while smoking. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, and clothing. Wash hands after using. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY.

**FIRST AID:** If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION**: Propoxur is a cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically. Contains volatile petroleum distillate.

**DISPOSAL**: When container is empty, press button to release all pressure. Wrap and dispose of in household garbage. Do not puncture or incinerate.

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.