

READY TO USE FORMULA

Ideal for Vegetable Gardens

CORRY'S® LIQUID

SLUG & SNAIL CONTROL

**MOLLUSCICIDE
SUSPENSION**

DOMESTIC

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

REG. NO. 20785 PCP ACT



GUARANTEE: 4% Metaldehyde

CAUTION POISON

Contains Benzoic Acid at 2% as a preservative
Contains glutaraldehyde at 0.25% as a preservative

NET CONTENTS 710 mL

NOT AFFECTED BY RAIN

MFD. BY: MATSON, LLC

P.O. Box 1820

North Bend, WA 98045

(425) 888-6212

EPA Est. No. 033518-CN-001

MADE IN CANADA

CORRY'S LIQUID SLUG & SNAIL CONTROL is a convenient, ready-to-use liquid bait. It is extremely effective in attracting and killing both slugs and snails. Easy to use, quick, clean and economical, **CORRY'S LIQUID SLUG & SNAIL CONTROL** resists rain and sprinkling and will remain effective in the garden for many days.

DIRECTIONS FOR USE: Raise spout and squeeze drops of bait 10-15 centimetres apart on soil in infested areas. All likely places should be treated as these pests travel. Normally apply bait every two weeks until infestation is under control. Use approximately 1/2 litre per 300 m². Slugs and snails feed almost entirely at night, in the evening, or during dark days. They prefer moist, warm conditions and rarely are active during exceedingly cold, hot or dry weather. Consider above when baiting. Preferred baiting time is in the evening and after warm rains. If slugs and snails are invading from adjacent properties, squeeze line of drops around perimeter for excellent control. Further label directions are found in the following table.

Use Site	Maximum Number of Applications/Year	Minimum Application Interval (day)
Cole crops and other leafy greens	3	14
Lettuce	3	14
Tomato	3	14
Strawberry	3	14
Blueberries	3	14
Caneberries and other berries	3	14

Keep people and pets out of the area during application.

Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.

Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (i.e. on soil or mulch) directly surrounding plants listed for use on the label.

Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within 30 cm of vegetable plants or fruit-bearing plants not listed on this label.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- eliminating hiding places by removing leaf litter and debris in the garden
- removing slugs and snails during daylight hours from nearby leaf litter, mulch and other protected areas
- watering in the morning to reduce humidity during the night when snails and slugs are active

CORRY'S LIQUID SLUG & SNAIL CONTROL can be used to protect the following fruit and vegetable plants. **Apply to soil around plants and between rows. Do not apply to foliage or edible parts of crop.** Protects cabbage, lettuce, radishes, spinach, tomatoes, turnips, blackberries, and strawberries.

TIPS: When dispensing bait, occasionally tip bottle upright to be refilled with air. If spout becomes clogged, lift spout and clear with toothpick.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is not longer visible. Avoid contact with skin, eyes, and clothing. Avoid breathing vapour. May be fatal if swallowed. Avoid contamination of feed, food stuffs, water supplies, and ponds. Wash hands after use. **Not for direct application to plants. Do not apply bait directly on fruits, vegetables, or field crops - use only on soil surface around these plants.** For additional precautionary measures, see DIRECTIONS FOR USE, STORAGE and DISPOSAL.

Toxic to aquatic organisms. Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants.

Toxic to birds.

Toxic to small wild animals.

FIRST AID INSTRUCTIONS:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian, or when going for treatment. Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

TOXICOLOGICAL INFORMATION: Ingestion may cause intestinal irritation, kidney and liver damage. Treat symptomatically.

HUMANS: Dust inhalation is usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely; seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

PETS: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

DISPOSAL: Do not reuse the empty container. Wrap in newspaper and dispose of in regular household garbage.

STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.