POOLBOSS

ALGAECIDE

LIQUID ALGAECIDE 10%

For swimming pools

Controls algae in swimming pool waters

DOMESTIC

REG. NO. 20285 P.C.P. ACT

GUARANTEE:

n-Alkyl (40% C12, 50% C14 10% C16)

Dimethyl Benzyl Ammonium Chloride....10%

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USING

NET CONTENTS

4 L

CAPO INDUSTRIES LTD.

1200 Corporate Drive, Burlington, Ont. L7L 5R6 1-800-263-8250

Secondary Panel

ALGAECIDE

PRECAUTIONS:

- KEEP OUT OF REACH OF CHILDREN.
- Do not mix with any other chemical.
- Avoid contact with skin and eyes.

- Wear rubber gloves when handling this concentrate.
- Harmful if swallowed.

DISPOSAL: Rinse container thoroughly before discarding. Do not reuse empty container.

Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean up of spills.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 -20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DIRECTIONS FOR USE:

- 1. Initial dosage for pool water having no visible algae is 200 ml of Algaecide 10% per 10,000 L of pool water.
- 2. Weekly maintenance dosage is 100 ml of Algaecide 10% per 10,000 L of pool water.
- 3. For pool water having visible algae, superchlorinate and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae, when superchlorination is not employed, add 500 ml of Algaecide 10% per 10,000 L of pool water. When algae have turned brown, brush the walls of the pool and remove the dead algae by vacuum and filtering. Backwash the filter as needed.
- 5. To ensure sparkling, healthy, algae-free water, test the residual chlorine content daily and maintain at 1 ppm.
- 6. DO NOT apply when swimmers are in the immediate vicinity (a 15-minute restricted-entry interval is recommended).

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.