

2014-1232  
2014-06-12

**OMNI ®**

**DURABROME ™**

**BROMINATING TABLETS**

SANITIZER

CONTROLS BACTERIA AND ALGAE IN SWIMMING POOL WATERS

DOMESTIC

GUARANTEE:

Available bromine present as 1-Bromo-3-chloro-5,5-dimethylhydantoin and related  
hydantoins... 64%

Available chlorine present as 1-Bromo-3-chloro-5,5-dimethylhydantoin and related  
hydantoins... 28%

REG. NO. 20103 P.C.P. ACT

WARNING

POISON

CORROSIVE

DANGER - CORROSIVE TO EYES AND SKIN  
POTENTIAL SKIN SENSITIZER

IRRITANT, DANGEROUS GAS FORMED WHEN MIXED WITH ACID

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 18 kg

KIK HOLDCO COMPANY INC.  
33 MacIntosh Blvd.  
Concord ON L4K 4L5  
1-888-797-4444

## **OMNI® DURABROME™ BROMINATING TABLETS**

Approximate tablet weight: [20 g] [60 g]

**OMNI DuraBrome Brominating Tablets**, when used as directed, are effective as a swimming pool water sanitizer and disinfectant.

**WARNING:** Direct tablet contact may cause bleaching of vinyl or painted pool surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

### **DIRECTIONS FOR USE:**

The filtration system should be in proper working order; the pH adjusted to between 7.2 and 7.8; the total alkalinity maintained at 100 to 150 ppm and the calcium hardness maintained at 150 to 300 ppm. A bromine residual of 1.0 to 2.0 ppm must first be established in the pH-adjusted pool. If this is accomplished with a granular hypochlorite product, follow use directions on that product's label. If the residual is established with **OMNI DuraBrome Brominating Tablets** in a brominator, use the brominator at the highest feed rate following the manufacturer's instructions. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in larger, heavily-used pools (normally 30 g to 180 g of this product per 10,000 L daily). Actual use rates vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the residual is above 5.0 ppm. Periodic superchlorination of pool water is recommended. Follow label directions of superchlorination product being employed.

**DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Poisonous if swallowed. Do not breathe dust. Irritating to nose and throat. Corrosive to the eye and skin. **DO NOT** get in eyes or on skin. Potential skin sensitizer. May result in severe chemical burns. It is recommended to wear rubber gloves and goggles when handling the product. Wash hands thoroughly after handling. Remove and wash contaminated clothing before reuse.

### **FIRST AID:**

**If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**PHYSICAL AND CHEMICAL HAZARDS:** Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with the generation of heat, hazardous gases, and possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. If necessary, flood with large volumes of water.

**STORAGE:** Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area, away from heat, open flame, sunlight and other chemicals.

**DISPOSAL:** Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on the disposal of unused, unwanted product, contact the Provincial Regulatory Agency or the manufacturer. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge where it will drain into lakes, streams, ponds or public water.