

2015-6668
2016-02-15

FARM & RANCH BRAND
Barn and Livestock Aerosol Spray

INSECTICIDE FOR FARM BUILDINGS, MILKING PARLOURS,
MILKING ROOMS, BEEF AND DAIRY CATTLE.

AGRICULTURAL

REGISTRATION NO. 18196 PEST CONTROL PRODUCTS ACT

GUARANTEE:

Pyrethrins	0.5%
Piperonyl Butoxide	4.0%

DANGER



EXTREMELY
FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING
SHAKE WELL BEFORE USING

NET CONTENTS: 600 g

Premier Tech Brighton Ltd.
1 avenue Premier
Riviere-du-Loup QC G5C 6C1

Hold container upright while spraying.

DIRECTIONS FOR USE :

To kill gnats, house flies, horn flies, mosquitoes, and stable flies.

SPACE SPRAY : Kills gnats, houseflies, mosquitoes and stable flies in milking parlours and milking rooms (where milk is NOT processed, handled or stored), dairy barns, beef barns, stables and other farm buildings. Direct spray upwards to all parts of the room especially windows and other light sources. Insects must be contacted to be killed. Apply at the rate of 1-2 seconds per 30 cubic metres. Remove all animals from barn before using as a space spray. For best results, close all doors and windows during treatment. Keep room closed for 15 minutes before ventilating. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is below 32° C.

LIVESTOCK SPRAY : To treat beef and dairy cattle against attacks of horn flies, house flies, mosquitoes and stable flies. Spray animals once daily with a fine mist. Spray from a distance of at least 1 m. For thorough coverage apply spray evenly over animals at a rate of 20-40 seconds per animal (equivalent to 20-40 mL of product). Spray should be enough to wet ends of the hair only, do NOT wet the hair or skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Wash udders before milking. Do NOT use more often than once a day.

PRECAUTIONS : KEEP OUT OF REACH OF CHILDREN. Not for use on humans. Ensure proper ventilation after sealed areas have been treated. Use only when MILKING PARLOURS AND MILKING ROOMS are NOT in operation. Cover or remove all milk and milking implements before spraying. After spraying wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations. Do not spray over milk or milking equipment. Do not contaminate feed or water troughs. Do not use this product while milk is exposed. Avoid inhalation of spray. Avoid contact with skin, eyes and clothing. Wash after using. Do not remain in treated areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50° C. Do not spray into or near open flame. Do not use in areas where bee-keeping equipment or supplies are stored. Product toxic to fish. Do not contaminate any body of water.

FIRST AID : **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL : When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER : This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.