

Sub. No. 2020-0688
2020-06-04

FLEXABAR

**FLEXGARD XI WATERBASE PRESERVATIVE
NON-FLAMMABLE
EMULSION
FUNGICIDE AND MARINE ANTIFOULANT
FOR INDUSTRIAL AND/OR COMMERCIAL USE**

**CONTROLS MILDEW ON PAINT
PROTECTS AGAINST ALGAE AND MARINE-FOULING ORGANISMS ON
ANTIFOULING COATINGS**

NOT FOR SPRAY USE – ONLY BRUSH OR DIP APPLICATION

Classification: Antifouling

COMMERCIAL

REGISTRATION NUMBER 21986 PEST CONTROL PRODUCTS ACT

GUARANTEE: copper, present as cuprous oxide and related copper compounds..... 24.64%

Contains zinc oxide at 2.13% as a preservative

KEEP OUT OF REACH OF CHILDREN

EYE IRRITANT

SKIN IRRITANT KEEP FROM FREEZING

Net Contents:

189.25 Liters

DANGER POISON



This product contains Cuprous Oxide

READ THE LABEL BEFORE USING.

Manufactured by:

New Nautical Coatings, Inc.
Sea Hawk Paints
14805 49th Street North
Clearwater, FL 33762
Ph:727-523-8053
Fax:727-523-7325

READ THE LABEL BEFORE USING

See back panel for additional precautionary statements.

PRECAUTIONS:

DO NOT get in eyes, on skin, or on clothing. Wear long pants, a long-sleeved shirt and shoes plus socks during mixing/loading, application, clean-up and repair. Wear chemical resistant gloves and footwear, and chemical resistant clothing with head covering, at all times during handling and applying

DO NOT TAKE INTERNALLY.

KEEP OUT OF REACH OF CHILDREN. Handle with care and mix only in a closed container. Use only in well ventilated areas. When using, do not eat, drink or smoke. Take a shower immediately after work. Wear freshly-laundered clothes daily. Wash hands and face before eating, drinking, chewing gum, using tobacco or using the toilet. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Remove clothing/personal protective equipment immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

For cleaning/maintaining personal protective equipment, use detergent and hot water. Keep and wash personal protective equipment separately from other laundry.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms. Do not contaminate water. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips or dust, generated during paint removal, to enter water.

PHYSICAL OR CHEMICAL HAZARD

Not combustible (Waterbase).

DISPOSAL:

Dispose of empty container and paint debris in accordance with provincial requirements. For information on the disposal of unused or unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

FIRST AID:

This product may produce temporary allergic side effects characterized by redness to the eyes, mild bronchial irritation and redness or rash to exposed skin areas. Persons having allergic reaction should contact a physician immediately.

If in eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If**

swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If Inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Persons having an allergic reaction should respond to treatment with antihistamines or steroid creams and/or systemic steroids.

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE: FOR NYLON AQUACULTURE NETS ONLY

Flexgard XI Waterbase Preservative is ready to use. Materials treated with Flexgard XI Waterbase Preservative are intended for outdoor use only. An antifoulant, it protects against fungal growth, algae and marine fouling organisms on above-waterline and submerged Flexgard XI Waterbase Preservative coated surfaces such as buoys, nylon fishnets and ropes.

1. The surface should be cleaned and dry before application.
2. Stir contents of container before each use.
3. Apply liberally by brush or dipping, thoroughly cover cut ends and joints.
4. If applied by brush, use two (2) coats.
5. Repeat applications on textiles, such as nylon nets, cord and rope if/when mildew appears.
6. If applied by dipping, allow article to remain in solution a minimum of 15 minutes.
7. Allow 6-8 hours drying time between coats.
8. Allow minimum of 72 hours air-drying time before use.
9. Clean tools, protective gloves and clothing with water when finished.
10. Do not apply at or below freezing temperatures.

COVERAGE:

Estimated coverage for this product depends on application quantity.

DO NOT apply this product in a way that will contact workers or bystanders, either directly or through drift. Only protected handlers may be in the area during application.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT apply this product directly to freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands), or estuarine/marine habitats.

DO NOT discharge effluent containing this product or the biocide produced into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters unless the effluent has been detoxified by suitable means.

DO NOT place the painted parts in water after painting until the paint is fully cured (see recommended times on the label). It is recommended that you prevent paint chips or dust caused by removing paint from entering water.

STORAGE:

Storage: Keep from freezing.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.