CANTOL

KLUNK LIQUID INSECTICIDE

For use in food areas and non-food areas of: Food Processing Plants, Schools, Warehouses, Office Buildings, Theatres, Garages, Hotels, Motels, Kennels and Hospitals.

Kills flies, mosquitoes, cockroaches, wasps, gnats, ants, silverfish, fleas, spiders and crickets.

COMMERCIAL

GUARANTEE:

Pyrethrins 0.30%

Piperonyl butoxide 0.60%

N-Octyl bicycloheptene dicarboximide 1.00%



DANGER POISON

READ THE LABEL BEFORE USING KEEP OUT OF THE REACH OF CHILDREN

REGISTRATION No. 17665 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 5 - 208 LITRES

CANTOL CORP. 199 STEELCASE ROAD WEST, MARKHAM, ONTARIO, L3R 2M4 905 475-6141

TO REORDER CALL TOLL FREE, 1-800-387-9773

DIRECTIONS FOR USE: FOGGING: Cover all foods and food utensils before treatment. In food processing plants, meat packing plants and food service establishments, apply only when plant is NOT in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable (drinkable) water before resuming operations.

FLYING INSECTS: Close doors and windows. Dispense Klunk Liquid Insecticide as a fine mist in the air using a spraying device similar to the MICRO 3 FOGGER. Direct mist upwards to all parts of the rooms, especially windows and other light sources. Use a dosage of 50 to 100 mL per 100 cubic meters of room space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present, sweep up and destroy falling insects. Repeat as necessary for control. Do not remain in treated area. Ventilate the area after treatment is completed.

CONTACT SPRAYS: CRAWLING INSECT: Apply Klunk Liquid Insecticide with a sprayer such as a pressurized tank sprayer that produces coarse, wetting droplets. Direct spray into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored foods. Insects must be contacted to be killed. Spray ant trails around door sills, window frames or in ant nests.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. Do not use directly on food. Food should be removed or covered during treatment. All food processing surfaces and utensils should be covered during treatment or thoroughly cleaned after spraying and before processing food. When using the product in these areas, apply only when the facility is NOT in operation. Do not breathe spray mist. Wear mask or respirator and protective clothing when applying spray mist. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Remove pets, birds and cover fish aquariums before spraying. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Keep container closed and store in a cool place. DO NOT POUR OR SPILL NEAR OPEN FLAME.

DISPOSAL: Do not reuse container. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make empty container unsuitable for use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains petroleum distillate. Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.