Metalaxyl-M Technical

FOR USE IN MANUFACTURING

GUARANTEE:Metalaxyl-M and S-isomer97% (nominal)

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL

DANGER



POISON

CAUTION - SKIN AND EYE IRRITANT

REGISTRATION NO.: 25372

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1000 L, Bulk

Syngenta Canada, Inc. 140 Research Lane, Research Park Guelph, ON N1G 4Z3 (519) 836-5665

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING CALL 1-800-327-8633 (FASTMED)

Page 2 of 3

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

No specific antidote is available. Apply symptomatic therapy. If ingested, check for possible mucosal damage before administering gastric lavage.

PRECAUTIONS

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL.

Strictly observe all precautions for handling and using pesticides. Avoid contact with skin, eyes and clothing. Do not contaminate food, feed or water supplies. Wear chemical resistant gloves and goggles or a face shield when handling the product.

Page 3 of 3

STORAGE

Store in original container in a well-ventilated, cool, dry, and secure area. Ship and store away from food, feed or seed. Keep containers tightly closed. KEEP OUT OF REACH OF CHILDREN, UNAUTHORIZED PERSONNEL and domestic animals. Prevent eating, drinking, tobacco usage, and cosmetic application in areas where there is a high potential for exposure to the material. Always wash thoroughly after handling.

DECONTAMINATION AND DISPOSAL

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on clean up of spills, contact the provincial regulatory agency and the manufacturer.

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING CALL 1-800-327-8633 (FASTMED)

DIRECTIONS FOR USE:

To be used only in the manufacture of a product which is registered under the **PEST CONTROL PRODUCTS ACT**.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.