

2023-1536

2024-01-16

This label has been updated according to the re-evaluation decision for Putrescent Whole Egg Solids RVD2023-01. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 01-13-2025 in accordance with the phase out period set out in the re-evaluation decision for Putrescent Whole Egg Solids RVD2023-01. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-1536
2024-01-16

(Non-registered Label Component – Formula 2104 Pail)

DEER-AWAY
Big Game Repellent Concentrate 2103

Formula 2104 (use ONLY with Concentrate 2103)

Stir thoroughly before mixing!

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

May cause sensitization. Avoid contact with skin, eyes and clothing. Avoid inhaling dust.

DO NOT apply if allergic to eggs. Wear a long-sleeved shirt, long pants, waterproof gloves, socks and shoes during mixing, loading, application, and clean-up and repair. Wash hands, arms and face with soap and water after use.

Do not store near or contaminate feed or foodstuffs.

If spillage of concentrate occurs, dilute with water and flush away.

DO NOT enter or allow worker entry into treated areas until sprays have dried.

Apply only when potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

PROTECT FROM FREEZING.

If frozen, allow to warm to room temperature and stir thoroughly before using.

READ THE LABEL AND ENCLOSED INSTRUCTION SHEET BEFORE USING.

POTENTIAL SENSITIZER

MUST BE USED IN CONJUNCTION WITH CONCENTRATE 2103.

Net Contents 2.40 liters

Net Contents 9.60 litres

Makes TWENTY LITRES of solution
(after mixing with water and Concentrate 2103)

Makes EIGHTY LITRES of solution (after mixing with water and Concentrate 2103)

Woodstream Canada Corporation
Unit 1, 25 Bramtree Court, Brampton, ON L6S 6G2 Tel: (800) 800-1819

2023-1536
2024-01-16

(Concentrate 2103 Pail Label)
DEER-AWAY
Big Game Repellent Concentrate 2103

For repelling Black-Tailed Deer (Mule Deer), White-Tailed Deer and Roosevelt Elk browse or uproot
Conifer Seedlings
Repels White-Tailed Deer from listed Ornamentals and Fruit Trees

COMMERCIAL

REGISTRATION NO. 17667 PEST CONTROL PRODUCTS ACT

READ THE LABEL AND ENCLOSED INSTRUCTION SHEET BEFORE USING

POTENTIAL SENSITIZER

MUST BE USED IN CONJUNCTION WITH FORMULA 2104

ACTIVE INGREDIENT: Putrescent Whole Egg Solids.....37.0%
Warning, contains the allergen eggs

Stir thoroughly before mixing!

NET CONTENTS: 2.55 L (OR 10.20 L)

Makes TWENTY LITRES of solution (after mixing with water and Formula 2104)
Makes EIGHTY LITRES of solution (after mixing with water and Formula 2104)

NOTICE TO USER: This pest control product is to be used in accordance with the directions on the label.
It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with
the directions on the label.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT APPLY BY AIR. May cause sensitization.
Avoid contact with skin, eyes and clothing. Avoid inhaling dust. DO NOT apply if allergic to eggs. Wear a
long-sleeved shirt, long pants, waterproof gloves, socks and shoes during mixing, loading, application,
and clean-up and repair. Wash hands, arms and face with soap and water after use. Do not store near or
contaminate feed or foodstuffs. If spillage occurs, dilute with water and flush away.

DO NOT enter or allow worker entry into treated areas until sprays have dried.

Apply only when potential for drift beyond the area to be treated is minimal. Take into consideration
wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

DISPOSAL:

2023-1536
2024-01-16

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the application device.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

Woodstream Canada Corporation
Unit 1, 25 Bramtree Court, Brampton, ON L6S 6G2
Tel: (800) 800-1819

2023-1536
2024-01-16

(Box/Kit Label)

PROVEN PROTECTION

For Plants, Trees and Shrubs

DEER-AWAY

Big Game Repellent Concentrate 2103

For repelling Black-Tailed Deer (Mule Deer), White-Tailed Deer and Roosevelt Elk that browse or uproot Conifer seedlings. Repels White-Tailed Deer from listed Ornamentals and Fruit Trees.

Twenty-Litre Kit – Liquid for Spraying
Treats 300 - 360 Ornamental Shrubs 120 cm High

Eighty-Litre Kit – Liquid for Spraying
Treats 1200 - 1400 Ornamental Shrubs 120 cm High

COMMERCIAL

READ THE LABEL AND INSTRUCTION SHEET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

POTENTIAL SENSITIZER

REGISTRATION NO. 17667 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Putrescent Whole Egg Solids37.0%

Warning, contains the allergen eggs

Canadian Patent 1,048,408 US Patents 3,980,773; 4,065,576; 4,065,577

Concentrated: This kit makes TWENTY LITRES
(after mixing Concentrate 2103 and Formula 2104 with water)

Concentrated: This kit makes EIGHTY LITRES
(after mixing Concentrate 2103 and Formula 2104 with water)

NET CONTENTS:

2.55 litres Concentrate 2103
2.40 litres of Formula 2104

NET CONTENTS:

10.20 litres of Concentrate 2103
9.60 litres of Formula 2104

2023-1536
2024-01-16

Woodstream Canada Corporation
Unit 1, 25 Bramtree Court, Brampton, ON L6S 6G2 Tel: (800) 800-1819

(Side of Box)

DEER-AWAY BIG GAME REPELLENT
Big Game Repellent

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT APPLY BY AIR. May cause sensitization. Avoid contact with skin, eyes and clothing. Avoid inhaling dust. DO NOT apply if allergic to eggs. Wear a long-sleeved shirt, long pants, waterproof gloves, socks and shoes during mixing, loading, application, and clean-up and repair. Wash hands, arms and face with soap and water after use. Do not store or contaminate feed, food or foodstuffs. If spillage of concentrate occurs, dilute with water and flush away. DO NOT enter or allow worker entry into treated areas until sprays have dried. Apply only when potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

DIRECTIONS FOR USE: See enclosed sheet for mixing and dilution instructions. Store at room temperature. Protect from heat and freezing.
DO NOT apply to any body of water.
DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PLANTS:

- **Yew, Scotch Pine, Arborvitae, Douglas Fir, Flowering Crab, Hemlock, Honeysuckle:**
Apply to terminal to point of run-off. For large trees, apply DEER-AWAY BIG GAME REPELLENT only to lateral branches that are within animal's reach.
Repeat as necessary.
- **Ornamental Shrubs:**
DEER-AWAY BIG GAME REPELLENT is not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur.
- **Fruit Trees:**
For use on bearing and non-bearing trees. On bearing trees use before flowering and leafing out and/or after harvest.
- **Conifer Seedlings:**
Seedlings to be protected from winter browsing and seedlings in nurseries and greenhouses must be dormant and frost hardy before treatment. Note: Browning and drop of old needles may occur on some evergreen species after using this product.

2023-1536
2024-01-16

- **Established Plantations, Nurseries, Greenhouses:**
See enclosed instructions sheet.

NOT FOR USE ON EDIBLE CROPS.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the application device.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

2023-1536

2024-01-16

(Instruction Sheet)

PROVEN PROTECTION

For Plants, Trees and Shrubs

DEER-AWAY

Big Game Repellent

For repelling Black-Tailed Deer (Mule Deer), White-Tailed Deer and Roosevelt Elk that browse or uproot
Conifer Seedlings

Repels White-Tailed Deer from listed Ornamentals and Fruit Trees

COMMERCIAL

READ THE LABEL AND INSTRUCTION SHEET BEFORE USING

POTENTIAL SENSITIZER

REGISTRATION NO. 17667 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Putrescent Whole Egg Solids..... 37.0 %

Warning, contains the allergen eggs

Canadian Patent 1,048,408

U.S. Patents 3,980,773; 4,065,576; 4,065,577

Woodstream Canada Corporation

Unit 1, 25 Bramtree Court, Brampton, ON L6S 6G2 Tel: (800) 800-1819

PLANTS:

Not for use on edible crops:

See specific directions for application to fruit trees.

- **Yew, Scotch Pine, Arborvitae, Douglas Fir, Flowering Crab, Hemlock, Honeysuckle:**
Apply to terminal to point of run-off. For large trees, apply DEER-AWAY BIG GAME REPELLENT only to lateral branches that are within animal's reach.
Repeat as necessary.
- **Ornamental Shrubs:**
DEER-AWAY BIG GAME REPELLENT is not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur.
- **Fruit Trees:**
For use on bearing and non-bearing trees. On bearing trees use before flowering and leafing out and/or after harvest.

2023-1536
2024-01-16

- **Conifer Seedlings:**

Seedlings to be protected from winter browsing and seedlings in nurseries and greenhouses must be dormant and frost hardy before treatment. **Note:** Browning and drop of old needles may occur on some evergreen species.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT APPLY BY AIR. May cause sensitization. Avoid contact with skin, eyes, or clothing. Avoid inhaling dust. DO NOT apply if allergic to eggs. Wear a long-sleeved shirt, long pants, waterproof gloves, socks and shoes during mixing, loading, application, and clean-up and repair. Wash hands, arms and face with soap and water after use. Do not store near or contaminate feed, food or foodstuffs. If spillage occurs, dilute with water and flush away. DO NOT enter or allow worker entry into treated areas until sprays have dried. Apply only when potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

DIRECTIONS FOR USE: Use only as directed on this label.

Store at room temperature. Protect from heat and freezing.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

INSTRUCTIONS: Kneading or Stirring and Dilution:

Note: Containers are not filled to capacity, but are filled by weight.

DILUTE before using: Concentrate 2103 must be mixed with Formula 2104 and water to produce a ready-to-use spray. Read all directions before mixing.

Knead or stir individual ingredients before mixing:

Before diluting, thoroughly stir contents of both containers individually. If Concentrate 2103 has caked in the pail due to unavoidable settling which occurs during shipment, break cake with a stiff knife or screwdriver, stir thoroughly until free of lumps.

To make entire twenty litres of ready-to-use spray:

2023-1536
2024-01-16

1. Empty entire pail of Concentrate 2103 into a suitable mixing container. Add 15 litres of warm water and mix thoroughly.
2. Add entire contents of Formula 2104 pail. Stir thoroughly.

To make entire eighty litres of ready-to use spray:

1. Empty entire pail of Concentrate 2103 into a suitable mixing container. Add 60 litres of warm water and mix thoroughly.
2. Add entire contents of Formula 2104 pail. Stir thoroughly.

To make less than entire package:

1. Stir both containers as explained above.
2. Mix 1 part Concentrate 2103, 1 part Formula 2104, 6 parts water. Blend until thoroughly mixed.

Use promptly after mixing: Mixed solution spoils quickly above 5° C. Do not store longer than one day; discard unused solution.

Clean sprayer: If sprayer is to be re-used, clean with cold water immediately after use.

Seal tightly for storage: If saving part of unmixed ingredients to use later, close containers tightly to prevent evaporation.

METHOD OF APPLICATION:

Before applying, read directions carefully.

Spray final mixed DEER-AWAY BIG GAME REPELLENT solution on all areas of plants likely to be browsed. Apply only in diluted form as specified. Do not apply excessively to seedlings. Mixtures or serial applications of DEER-AWAY BIG GAME REPELLENT and TMTD (Thiram) may reduce repellency during winter.

NOT approved for use on edible crops.

See specific directions for application to fruit trees.

Timing of Treatment: To protect against winter browsing, apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated. To protect against spring browsing of new growth, apply upon onset of browsing, but preferably after bud break and before new shoots exceed 2.5 cm in length. Do not retreat new growth. If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 10 cm in length if browsing still persists.

Weather Conditions: Apply only to dry plants and only under weather conditions favouring prompt drying of spray (lightly breezy, mild dry weather with low relative humidity). If spray is used on wet plants or in damp, cold, foggy or misty weather, or if precipitation or freezing occurs before spray can dry, protection may be partially or completely lost.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the application device.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.

2023-1536
2024-01-16

3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

CARE OF EQUIPMENT: Promptly discard leftover spray. Rinse spraying equipment thoroughly with cold water immediately after use. Do not contaminate water by cleaning of equipment or discarding of waste.

ESTABLISHED PLANTATIONS: For use on individual seedlings, use a pressurized hand-held or backpack garden sprayer. Hold nozzle of spray wand about 25 cm vertically above tip of terminal shoot. On conifers, spray the terminal and first whorl to run-off. Two litres of diluted DEER-AWAY BIG GAME REPELLENT mixture should be applied per 200 seedlings 60 to 120 cm tall. Treat each seedling.

NURSERIES OR GREENHOUSES: Use a pressurized tank and spray boom and assure complete coverage of seedlings to run-off by proper adjustment of tank pressure, nozzle size, number and opening, boom height above seed bed and speed of travel. This will result in about 2 mL of solution per seedling. Seedlings in nurseries and greenhouses must be sprayed as close to lifting and outplanting as possible for maximum browse protection. Re-spray before lifting if more than 6 weeks have elapsed between first application and lifting of stock.

NOTICE TO USER: This pest control product is to be used in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.