

2021-6463
2022-01-14

BARQUAT 4250-Z

FOR MANUFACTURING, FORMULATING
OR REPACKING.

Solution

DANGER



POISON



CORROSIVE

ACTIVE INGREDIENTS :

n-Alkyl (5% C₁₂, 60% C₁₄, 30% C₁₆, 5% C₁₈)
dimethyl benzyl ammonium chloride..... 25.0%
n-Alkyl (68% C₁₂, 32% C₁₄)
dimethyl ethyl benzyl ammonium chloride 25.0%

READ THE LABEL BEFORE USING

REGISTRATION NO. 21904 PEST CONTROL
PRODUCTS ACT

NET CONTENTS: 200 kg (440 lb)

ARXADA, LLC
412 Mount Kemble Avenue, Suite 200S
Morristown NJ 07960
201-316-9200

2021-6463
2022-01-14

DIRECTIONS FOR USE:

To be used only in the manufacture of a pesticide which is registered under the Pest Control Products Act. BARQUAT 4250-Z is a TECHNICAL for formulating purposes only. Formulators are responsible for their own registrations. This product should not be used or compounded with any reducing or oxidizing agents (such as calcium hypochlorite, solid perchlorate or nitric acid) since such mixtures may be explosive. Do not use in conjunction with soap or any anionic wetting agent. Wear goggles or face shield, rubber gloves and respirator if mist is generated. Under certain conditions, the use of protective creams may be advisable. Wash thoroughly after handling.

PRECAUTIONS:

PREVENT ACCESS BY UNAUTHORIZED PERSONEL. DANGER - CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water for handling.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Avoid alcohol.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

DISPOSAL:

Canadian formulators of this technical should dispose of unwanted active and containers in accordance with municipal or provincial regulations. For additional details and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.